

**2022 CHEVY HD 5500 RATED CHASSIS**

**DELIVER TO ARMSTRONG CTY**

**FULL TANK OF FUEL**

**NO SUBSTITUTES**

**2022 Chevrolet Silverado Medium Duty Truck**

CK56403-4WD HD Chassis Regular Cab

PEG: 1WT-1WT

Primary Color: GAZ-Summit White

Trim: HOU-Cloth, Jet Black, Interior Trim

Engine: LSD-Engine, Duramax 6.6L Turbo-Diesel V8

Transmission: MIO-RDS A1750RDS, PTO, GVWR 19.5K Max, GCWR 37K MAX

Options: 092-Rear Axle, 4.30 Ratio

1WT-1WT

719-Seat Belt, Black

7Y7-Batteries, Heavy-Duty Dual 1100 CCA

8E8-Bumper, Front, Black

9L3-Spare Tire Delete

9L ?-Accessory Electrical Switches

A31-Power Windows

AE7-Seats: 40/20/40/ Split Front Bench

AKP-Glass, Solar Absorbing, Tinted

AQQ-Keyless Remote Entry

AU3-Door Locks, Power

AYO-Airbags-frontal, front seat and head-curtain

BG9-Floor Covering: Rubberized Vinyl, Black

BTN-Top Post Threaded, Battery Jump Start Stud C67-Air Conditioning, Manual

C99-Air Bag Deactivation Switch, Front, Passenger side

DP9-Chrome Caps for Outside Mirrors

DPN-Mirrors: Camper Style, Black, Man Fold, Pwr, Full Featr

EON-Assist Steps, Aluminum

E20-Handles. Outside Door, Chrome

EDS-Wheelbase 165 Inch 84" CA

FOG-Axle to End of Frame, 49"

F59-Front Stabilizer Bar

FNP-Front Fender Extension, Painted Body Color FPF-Equipment Emission, Diesel DPF Manual  
Regeneration

FTB-Front Axle, 7500 lbs.

FTN-Axle Lubricant, Front, Synthetic

FTO-Axle Lubricant, Rear, Synthetic

FTV-Front Suspension, 7500 lbs.

G68-Shock Absorbers, Rear

G86-Axle-Limited Slip  
GAZ-Summit White  
GR4-Rear Suspension, 13,500 lbs, multi-Leaf  
GZG-GVW Rating, 19,500 Lbs  
HOU-Cloth, Jet Black, Interior Trim  
IOB-Radio, 7" Color Screen, Bluetooth, w/ USS Port J27-Rear Axle, 15,500lb  
JL 1-Integrated Trailer Brake Controller  
KOS-Heater Engine Block  
K34-Cruise Control-Automatic, Electronic  
K40-Engine Brake-Exhaust  
KBK-Transmission Shift Control Calibration,  
Performance  
KI4-11 O Volt Electrical Receptacle, In Cab  
KW5-Alternator, 220 AMP  
LSD-Engine, Duramax 6.6L Turbo-Diesel V8  
MIO-RDS A1750RDS, PTO, GVWR 19.5K Max,  
GCWR 37K MAX  
N12-Exhaust System, Rear Exit  
N2L-Fuel Tank, Rear, 40 Gallon (Front Tank Delete) N4C-Emission, 50 State  
NXG-Additional Fuel, 20 Gallons  
NZZ-Skid Plate  
POD-Grille Guard Screen, Insect Protection  
PD7-Wheel, Spare, Delete  
PTO-Engine Control-Power Take Off (PTO) Controls PWQ-Wheels, 19.5" x 6.75", Steel, Black Painted  
R6W-34,000 lbs (15,422 kg) GCWR  
R?N-5500 HD Series  
SFW-Back-Up Alarm Calibration (SEO)  
T3U-Fog Lamps, Front  
TR1-Lamps, Rear, Stop  
TRW-Provision, for Cab Roof Mounted Lamp /  
Beacon  
UOS-Horn, Dual Note  
U2J-SiriusXM Satellite Radio, Delete  
UDC-Driver Information Center, 3.5" Display  
UEO-OnStar Delete  
UNL-Auxiliary Wiring  
U03-Speaker System. 6  
UVC-Rear View Camera System  
UY7-Trailer Provisions  
UZF-Rear Back Up Alarm  
V22-Grille-Radiator, Chrome  
V33-Tool Kit, Rim Wrench and Handle Only  
V76-Recovery Hooks  
VK3-License Plate Front Mounting Hardware

VYU-Snow Plow Prep Package

XDK-Tires Front, 225/70R19.5G HWY, Goodyear, G647 RSS

YAL-Tires. Rear 225/70R19.5G HWY, Goodyear,

G647 RSS

YK6-SEO Processing Option

ZY1-Paint, Solid

**Furnish and Install: Bed Specs**

92-1/2" x 136" Smooth Skirted Duramag Aluminum Hauler Body 16,000 Lb. 2.5" Receiver Hitch w/ 7-Way Receptacle

Built-in B&W Turn Over Ball with Cover & w/ 7-Way Receptacle Steel Sub-Frame - 2x4 .125 Box Tube Sub-Frame Fully Welded & Powder Coated

Gusseted/Integrated Rear Bumper. 3.5x3.5 .188

6005 T6 Aluminum G-Tube Body Perimeter Frame

Extruded Aluminum Flooring

6005 T6 Aluminum Box Tube Cross Members - 1.5x3 .100 Extruded Aluminum Headboard w/Accessory Track

Stake Pockets & 2" x 1/4" Rub Rail

Stylish .125 Mill Finish Aluminum Tail Skirt Assembly

Cast Aluminum License Plate Holder

(1 )Cast Aluminum Fuel Fill Dish

(2) LED Slop/Turn/Tail & (2) Backup Lights in Headboard & Tail Skirt

Full Mill Finish Aluminum Skirting

Driver's Side Front & Rear Under Body Tool Boxes

Passenger's Side Front & Rear Under Body Tool Boxes

Transfer Flow 82 Gallon Refueling Tank System

(DOT) legal to carry and transfer gasoline, diesel, methanol/ethanol, and kerosene

12-gauge ReliaSteel, high-yield U.S. aluminized steel

Pumps up to 15 gallons per minute

Baffled to prevent fuel sloshing

6-year, unlimited mile warranty on the fuel tank

49"L x 29"W x 32"H

Approx. 8-week ET A

Tool Box Sizes Ft box door openings 34" x 12" Rear 18" x 12" Weight With tank and fuel Approx. 2000 lbs