

Department of Transportation

Cambria County Maintenance, District 9-3,

4595 Admiral Peary Highway, Ebensburg, PA.

(814) 472-7100

As the result of a recent air pressure test required by Ebensburg Sanitary Sewer System. This above location requires repairs resulting from an unsuccessful air pressure test of our lateral sewage system. Successful bidder must show proof of a minimum insurance coverage of 1,000,000. Successful bidder is responsible to obtain all necessary permits or license required from the Ebensburg Municipal Authority to complete the job. Successful bidder must complete all work with a passing test result by June 30, 2018. It is the responsibility of the successful bidder to obtain a copy of all ordinances, rules and regulations, and codes required to complete all work. These items available at www.ebensburgpa.com

The successful bidder will be required to correct all leaking connections. As a minimum, two locations have been recognized as failing during recent test. Work will require the following;

- Cutting asphalt and excavation in areas as needed at repair site, restore areas of work to original existing condition to include asphalt repairs and landscaping as required.
- Removing and replacing existing sewer line and repair connections at water/separator tanks as needed using approved pipe and fittings to standards set by local code.
- Install traps and cleanouts as required by local code to include cast iron view ports flush with asphalt.
- Test system with a passing result of 5 p.s.i. for 15 minutes with no drop-in pressure.
- Schedule test with Ebensburg authorities as required.