

MISCELLANEOUS RENOVATIONS SECOND, SIXTH, AND EIGHTH FLOORS


AT THE PENNSYLVANIA JUDICIAL CENTER 601 COMMONWEALTH AVENUE HARRISBURG, PENNSYLVANIA 17120

FOR THE ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS


TUESDAY, MAY 15, 2018 | BIDDING DRAWINGS

<p>18 — COLUMN LINE ID</p> <p>OFFICE B1614 47 SF</p> <p>Room Name ROOM IDENTIFICATION Room Number Gross Area of Room</p> <p>01 A4.01 Detail Number SECTION Drawing Number</p> <p>01 A4.01 Detail Number DETAIL Drawing Number</p> <p>01 A4.01 Detail Number INTERIOR ELEVATION Drawing Number</p> <p>FLOOR MATERIAL CHANGE</p> <p>A116A DOOR NUMBER</p> <p>◇ PARTITION TYPE</p> <p>◇ KEY NOTE</p>	<p>EXISTING WALL / PARTITION TO REMAIN</p> <p>EXISTING WALL / PARTITION TO DEMO</p> <p>NEW WALL / PARTITION</p> <p>EXISTING DOOR & FRAME (IN EXISTING WALL / PARTITION)</p> <p>EXISTING DOOR & FRAME (IN EXISTING WALL / PARTITION)</p> <p>EXISTING DOOR & FRAME (IN NEW WALL / PARTITION)</p> <p>EXISTING FURNITURE & EQUIPMENT TO REMAIN</p> <p>EXISTING FURNITURE AND EQUIPMENT TO BE REMOVED OR RELOCATED</p>	<p>EXISTING LIGHT FIXTURE TO REMAIN</p> <p>EXISTING LIGHT FIXTURE TO BE REMOVED OR RELOCATED</p> <p>NEW LIGHT FIXTURE</p> <p>EXISTING HVAC DIFFUSER TO REMAIN</p> <p>EXISTING HVAC DIFFUSER TO BE REMOVED OR RELOCATED</p> <p>EXISTING OCCUPANCY SENSOR TO REMAIN</p> <p>NEW OCCUPANCY SENSOR</p> <p>POKE THRU FLOOR BOX (2) POWER (2) VOICE (2) DATA (1) EMPTY AV COMPARTMENT</p>
---	---	--


SCALE: NONE



REGIONAL MAP 02



LOCATION MAP 03



BUILDING KEY PLAN 04

PROJECT TITLE AND ADDRESS 01

<p>A.B. ANCHOR BOLT</p> <p>ABV ABOVE</p> <p>AD ACCESS DOOR OR AREA DRAIN</p> <p>ADJ ADJUSTABLE</p> <p>AFF ABOVE FINISHED FLOOR</p> <p>ALT ALTERNATE</p> <p>ALUM ALUMINUM</p> <p>APC ACOUSTICAL PANEL CEILING</p> <p>ANOD ANODIZED</p> <p>APPROX APPROXIMATELY</p> <p>ARCH ARCHITECT(URAL)</p> <p>AUTO AUTOMATIC</p> <p>B/ BOTTOM OF BOARD</p> <p>BD, BRD BELOW</p> <p>BEL, BLW BETWEEN</p> <p>BETW BUILDING</p> <p>BLKG BLOCKING</p> <p>BMB.M. BEAM OR BENCHMARK</p> <p>B.O. BOTTOM OF</p> <p>BOT, BTM BOTTOM</p> <p>BS, B.S. BOTH SIDES</p> <p>CABT CABINET</p> <p>CB, C.B. CATCH BASIN</p> <p>C/C CENTER TO CENTER</p> <p>CFG CLEAR FLOAT GLASS</p> <p>CI, C.I. CAST IRON</p> <p>CJ, C.J. CONTROL JOINT</p> <p>CL CENTERLINE</p> <p>CL, CLOS CLOSET</p> <p>CLR CLEAR(ANCE)</p> <p>CLG CEILING</p> <p>CMU CONCRETE MASONRY UNIT</p> <p>CO CLEAN OUT</p> <p>COL COLUMN</p> <p>CONC CONCRETE</p> <p>CONN CONNECT(ION)</p> <p>CONST CONSTRUCTION</p> <p>CONT CONTINUOUS, CONTINUED</p> <p>CONTR CONTRACTOR</p> <p>COORD COORDINATE</p> <p>CORR CORROR</p> <p>CPT CARPET</p> <p>CSK COUNTERSUNK</p> <p>CT CERAMIC TILE</p> <p>CTF CERAMIC TILE - FLOORING</p> <p>CTG CLEAR TEMPERED GLASS</p> <p>CTW CERAMIC TILE - WALL COVERING</p> <p>DEMO DEMOLISH, DEMOLITION</p> <p>DET, DETL DETAIL</p> <p>DIA DIAMETER</p> <p>DIM DIMENSION</p> <p>DISP DISPENSER</p> <p>DN DOWN</p> <p>DTL DETAIL</p> <p>DWG DRAWING</p> <p>EA EACH</p> <p>E.C. ELECTRICAL CONTRACTOR</p> <p>EIFS EXTERIOR INSULATING FINISH SYSTEM</p> <p>ELEC ELECTRICAL</p> <p>EL, ELEV ELEVATOR OR ELEVATION</p> <p>EMERG EMERGENCY</p> <p>ENCL ENCLOSURE</p> <p>EPS EXPANDED POLYSTYRENE</p> <p>ES EXPOSED STRUCTURE</p> <p>EQ EQUAL</p> <p>EQP, EQUIP EQUIPMENT</p> <p>EW, E.W. EACH WAY</p> <p>EWC ELECTRIC WATER COOLER</p> <p>EX, EXIST EXISTING</p> <p>EXH EXHAUST</p> <p>EXP EXPOSED</p> <p>EJ, E.J. EXPANSION JOINT</p> <p>EXT, EXTR EXTERIOR</p> <p>F/ FACE OF</p> <p>FA, F.A. FIRE ALARM</p> <p>FD, F.D. FLOOR DRAIN</p> <p>FDN, FNDTN FOUNDATION</p> <p>FE, F.E. FIRE EXTINGUISHER</p> <p>FEC FIRE EXTINGUISHER CABINET</p> <p>FF, FFE FINISHED FLOOR (ELEVATION)</p> <p>FG, F.G. FOOT GRILLE</p> <p>FHC FIRE HOSE CABINET</p> <p>FIN FINISH(ED)</p> <p>FLR FLOOR</p> <p>FLUOR FLUORESCENT</p> <p>FND, F.N.D. FEMININE NAPKIN DISPENSER</p> <p>FP, F.P. FIREPROOF(ING) OR FIRE PROTECTION</p> <p>FRP FIBERGLASS REINFORCED PLASTIC</p> <p>FTG FOOTING</p> <p>FURN FURNITURE, FURNISH(ED)</p> <p>GA GAUGE</p> <p>GALV GALVANIZED</p> <p>GC, G.C. GROUND-FACE CMU</p> <p>GFCMU GENERAL CONTRACTOR</p> <p>GL GLASS, GLAZING</p> <p>GOV(T)S GOVERNMENT(S)</p> <p>GWB GYPSUM WALLBOARD</p> <p>HB, H.B. HOSE BIBB</p> <p>HDCP HANDICAPPED</p> <p>HDW, HDWE HARDWARE</p> <p>HWOOD HARDWOOD</p> <p>HM, H.M. HOLLOW METAL</p> <p>HPC HIGH PERFORMANCE COATING</p> <p>HR HOUR</p> <p>HT HEIGHT</p> <p>HTG HEATING</p> <p>HVAC HEATING/VENTILATING/AIR CONDITIONING</p> <p>ID, I.D. INSIDE DIAMETER</p> <p>INCAN INCANDESCENT</p> <p>INCL INCLUDING</p> <p>INST INSTALL(ED)</p> <p>INSUL INSULATION OR INSULATED</p> <p>INT, INT'R INTERIOR</p> <p>INV INVERT</p> <p>JT JOINT</p> <p>JS JOIST SUBSTITUTE</p> <p>LAM LAMINATED</p> <p>LG LONG</p> <p>LMB LIQUID MARKER BOARD</p> <p>LOC LOCATION</p> <p>LVR LOUVER</p> <p>MATL MATERIAL</p> <p>MAX MAXIMUM</p> <p>MBG METAL BAR GRATE</p> <p>MBF MEDIUM DENSITY FIBERBOARD</p> <p>MECH MECHANICAL</p> <p>MTL METAL</p> <p>MFD, MFR MANUFACTURED, MANUFACTURER</p> <p>MH, M.H. MANHOLE</p> <p>MIN MINIMUM</p> <p>MISC MISCELLANEOUS</p> <p>MO, M.O. MASONRY OPENING</p> <p>MR, M.R. MOISTURE RESISTANT</p> <p>MRGWB MOISTURE-RESISTANT GWB</p> <p>MNT MOUNTED</p> <p>NIC, N.I.C. NOT IN CONTRACT</p> <p>NO. NUMBER</p> <p>NOM NOMINAL</p> <p>NTS NOT TO SCALE</p> <p>OC, O.C. ON CENTER</p> <p>OD, O.D. OUTSIDE DIAMETER</p> <p>OH, O.H. OPPOSITE HAND OR OVERHEAD</p> <p>OPG, OPNG OPENING</p> <p>OPP OPPOSITE</p> <p>OPT OPTIONAL</p> <p>OVHD OVERHEAD</p> <p>PARTN PARTITION</p> <p>PC, P.C. PRECAST OR PLUMBING CONTRACTOR</p> <p>PERIM PERIMETER</p> <p>PF PRE-FINISHED</p> <p>PJF PRE-MOLDED JOINT FILLER</p> <p>PL PLATE</p> <p>PLAM PLASTIC LAMINATE</p> <p>PLMB PLUMBING</p> <p>PLYWD PLYWOOD</p> <p>PNL PANEL</p> <p>POL POLISHED</p> <p>POLY POLYETHYLENE</p> <p>POLYISO POLYISOCYANURATE</p> <p>PP, P.P. POWER POLE</p> <p>PR PAIR</p> <p>PREFAB PREFABRICATED</p> <p>PT, P.T. PRESSURE TREATED</p> <p>PTD, P.T.D. PAINTED OR PAPER TOWEL DISPENSER</p> <p>PVC POLYVINYLCHLORIDE</p> <p>PWG POLISHED WIRE GLASS</p> <p>QT, Q.T. QUARRY TILE</p> <p>R RISER OR RADIUS</p> <p>RA, R.A. RETURN AIR</p> <p>RCP REFLECTED CEILING PLAN</p> <p>RD, R.D. ROOF DRAIN</p> <p>REC, REC'D RECESSED</p> <p>RECEPT RECEPTACLE</p> <p>REF REFERENCE</p> <p>REINF REINFORCEMENT</p> <p>REQ, REQ'D REQUIRED</p> <p>RES RESILIENT</p> <p>RET RETAINING</p> <p>REV REVISION OR REVISED</p> <p>RM ROOM OR RECESSED MAT</p> <p>RND ROUND</p> <p>RO, R.O. ROUGH OPENING</p> <p>R/W RIGHT OF WAY</p> <p>RWC RAIN WATER CONDUCTOR</p> <p>SAN SANITARY</p> <p>SC, S.C. SOLID CORE</p> <p>SCH, SCHED SCHEDULE</p> <p>SD, S.D. STORM DRAIN</p> <p>SFC SHEET FLOOR COVERING</p> <p>SFCMU SPLIT-FACE CMU</p> <p>SGFT STRUCTURAL GLAZED FACING TILE</p> <p>SHT SHEET</p> <p>SIM SIMILAR</p> <p>SPEC SPECIFICATION</p> <p>SPM SINGLE-PLY MEMBRANE</p> <p>SQ SQUARE</p> <p>SS, S.S. SERVICE SINK OR STAINLESS STEEL</p> <p>SSM SOLID SURFACE MATERIAL</p> <p>SSMR STANDING SEAM METAL ROOF(ING)</p> <p>SSV SIMULATED STONE VENEER</p> <p>STD STANDARD</p> <p>STL STEEL</p> <p>STOR STORAGE</p> <p>STRUCT STRUCTURE OR STRUCTURAL</p> <p>SUSP SUSPENDED</p> <p>T/, T.O. TOP OF</p> <p>T.D. TOWEL DISPENSER</p> <p>TEL, TELE TELEPHONE</p> <p>TEMP TEMPORARY</p> <p>TERR TERRAZZO</p> <p>TFG TEMPERED FLOAT GLASS</p> <p>T&G TONGUE & GROOVE</p> <p>THK THICK OR THICKNESS</p> <p>THOLD THRESHOLD</p> <p>TOF, T.O.F. TOP OF FOOTING</p> <p>TOJ, T.O.J. TOP OF JOIST</p> <p>TOM, T.O.M. TOP OF MASONRY</p> <p>TOS, T.O.S. TOP OF STEEL</p> <p>TRANS TRANSPARENT</p> <p>TRANSF TRANSFORMER</p> <p>TRTD TREATED</p> <p>T.T.D. TOILET TISSUE DISPENSER</p> <p>TXT TEXTURED</p> <p>TXTCMU TEXTURED CMU</p> <p>TYP TYPICAL</p>	<p>U, U. URINAL</p> <p>UC, U.C. UNDERCABINET</p> <p>UNF UNFINISHED</p> <p>UNO, U.N.O. UNLESS NOTED OTHERWISE</p> <p>U/S, U.S. UNDERSIDE</p> <p>V VENT</p> <p>VCVT VINYL COMPOSITION TILE</p> <p>VERT VERTICAL</p> <p>VIF, V.I.F. VERIFY IN FIELD</p> <p>VTR VENT THROUGH ROOF</p> <p>VWC VINYL WALL COVERING</p> <p>VWF VINYL WALL FABRIC</p> <p>W, W/O WITH, WITHOUT</p> <p>WC, W.C. WATER CLOSET</p> <p>WD WOOD</p> <p>WG, W.G. WIRE GLASS</p> <p>WH, W.H. WALL HYDRANT</p> <p>WIC, WIF WALK-IN COOLER, WALK-IN FREEZER</p> <p>WP WATERPROOF</p> <p>WT WEIGHT</p> <p>WWF, WWM WELDED WIRE FABRIC, MESH</p>
---	--

SCALE: NONE SYMBOLS LEGEND 06

SHEET	DRAWING	DESCRIPTION
01	G0.01	COVER SHEET WITH LIST OF ABBREVIATIONS, KEY PLANS, SYMBOL LEGENDS, AND LIST OF DRAWINGS
02	C1.01	SITE PLAN - EXISTING CONDITIONS
03	A1.00	ARCHITECTURAL - OVERALL FLOOR PLAN - SECOND
04	A1.01	ARCHITECTURAL - OVERALL FLOOR PLANS - SIXTH & EIGHTH
05	A2.00D	ARCHITECTURAL - DEMOLITION - SECOND FLOOR PLAN - NEW JUDICIAL SECURITY SUITE
06	A2.00R	ARCHITECTURAL - RENOVATION - SECOND FLOOR PLAN - NEW JUDICIAL SECURITY SUITE
07	A2.01	ARCHITECTURAL - DEMOLITION/RENOVATION - SIXTH FLOOR PLANS - U.G./LEGAL STAFF SUITE
08	A2.02	ARCHITECTURAL - DEMOLITION/RENOVATION - EIGHTH FLOOR PLANS - CHIEF JUSTICE SUITE
09	A2.12	ARCHITECTURAL - DEMOLITION/RENOVATION FLOOR PLANS - EIGHTH - CARPET REPLACEMENT
10	A6.00D	ARCHITECTURAL - DEMOLITION - REFLECTED CEILING PLAN - SECOND FLOOR - JUDICIAL SECURITY SUITE
11	A6.00R	ARCHITECTURAL - RENOVATION - REFLECTED CEILING PLAN - SECOND FLOOR - JUDICIAL SECURITY SUITE
12	A6.01	ARCHITECTURAL - DEMOLITION/RENOVATION - REFLECTED CEILING PLAN - SIXTH FLOOR - U.G./LEGAL STAFF SUITE
13	A6.02	ARCHITECTURAL - DEMOLITION/RENOVATION - REFLECTED CEILING PLANS - EIGHTH FLOOR - CHIEF JUSTICE SUITE
14	M2.00D	MECHANICAL DUCTWORK - DEMOLITION - SECOND FLOOR PLAN - JUDICIAL SECURITY SUITE
15	M2.00R	MECHANICAL DUCTWORK - RENOVATION - SECOND FLOOR PLAN - JUDICIAL SECURITY SUITE
16	M2.02	MECHANICAL DUCTWORK - COMBINATION DEMOLITION/RENOVATION - EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE
17	FP2.00	FIRE PROTECTION - COMBINATION DEMOLITION/RENOVATION - SECOND FLOOR PLAN - JUDICIAL SECURITY SUITE
18	FP2.02	FIRE PROTECTION - COMBINATION DEMOLITION/RENOVATION - EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE
19	E1.01	ELECTRICAL - LIGHT FIXTURE SCHEDULE AND PANEL SCHEDULES
20	EL2.00	ELECTRICAL LIGHTING - COMBINATION DEMOLITION/RENOVATION - SECOND FLOOR PLAN - JUDICIAL SECURITY SUITE
21	EL2.01	ELECTRICAL LIGHTING - COMBINATION DEMOLITION/RENOVATION - SIXTH & EIGHTH FLOOR PLANS
22	EP2.00	ELECTRICAL POWER - COMBINATION DEMOLITION/RENOVATION - SECOND FLOOR PLAN - JUDICIAL SECURITY SUITE
23	EP2.01	ELECTRICAL POWER - COMBINATION DEMOLITION/RENOVATION - SIXTH & EIGHTH FLOOR PLANS
24	ET2.00	ELECTRICAL POWER - COMBINATION DEMOLITION/RENOVATION - SECOND FLOOR PLAN - JUDICIAL SECURITY SUITE
25	ET2.01	ELECTRICAL POWER - COMBINATION DEMOLITION/RENOVATION - SIXTH & EIGHTH FLOOR PLANS

VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
EDDYSTONE, PA 19027
T 215.218.4747 F 215.405.2729
SUITE 100 | 2505 NORTH FRONT STREET
HARRISBURG, PA 17110
717.298.1188 F 717.754.0558

PROFESSIONAL'S SEAL

PROJECT 4613.0671
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
© 2018 VITETTA

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS AT THE PENNSYLVANIA JUDICIAL CENTER 601 COMMONWEALTH AVENUE HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120 FOR THE ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
COVER SHEET WITH LIST OF ABBREVIATIONS, KEY PLANS, SYMBOL LEGENDS, AND LIST OF DRAWINGS

SCALE: NONE
DRAWN: J. JOUN
CHECKED: D. VODZAK
APPROVED: D. VODZAK
DATE: 05.15.2018 | BID DRAWINGS

REVISIONS
NUMBER DATE DESCRIPTION

DRAWING
G1.01

SCALE: NONE BUILDING KEY PLAN 04

SCALE: NONE LIST OF TYPICAL ABBREVIATIONS 05

SCALE: NONE SYMBOLS LEGEND 06

SCALE: NONE DRAWING LIST 07

PROFESSIONAL'S SEAL



PROJECT 4613.0671
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
© 2018 VITETTA

PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
AT THE
PENNSYLVANIA JUDICIAL CENTER
601 COMMONWEALTH AVENUE
HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
FOR THE
ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE




SITE PLAN
EXISTING CONDITIONS

SCALE	1" = 30' - 0"
DRAWN	J. JOLIN
CHECKED	D. VOZDZAK
APPROVED	D. VOZDZAK
DATE	05.15.2018 BID DRAWINGS

REVISIONS	NUMBER	DATE	DESCRIPTION

DRAWING

C1.01



COMMONWEALTH OF PA
TAX PARCEL 7-102-025

MESSIAH
LUTHERAN
CHURCH

HARRISBURG PARKING AUTHORITY

PPL UTILITIES, INC.

SEVENTH STREET

LEGAL R.O.W. LINE

FORSTER STREET

HEALTH & WELFARE BUILDING

PENNSYLVANIA
JUDICIAL CENTER


FIRST LEVEL ELEVATION = 340.00' (VARIES)

NORTH STREET


FINANCIAL BUILDING

COMMONWEALTH AVENUE

COMMONWEALTH BUILDING





SCALE: NONE NOT USED 02



SCALE 1/16" = 1'-0" OVERALL PLAN - SECOND FLOOR 01

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.259.1105 F 717.754.0558



PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS


DRAWING TITLE
**ARCHITECTURAL
 OVERALL FLOOR PLAN
 SECOND**

SCALE	1/16" = 1'-0" (UNLESS NOTED OTHERWISE)
DRAWN	J. JOUN
CHECKED	D. VOZAK
APPROVED	D. VOZAK
DATE	05.15.2018 BID DRAWINGS


REVISIONS	NUMBER	DATE	DESCRIPTION

DRAWING

A1.00



PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL



PROJECT 4613.0600
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2017 VITETTA

PROJECT TITLE

RENOVATIONS TO THE NORTHEAST CORNER OF THE SECOND FLOOR
 FOR RELOCATION OF AOPC SECURITY STAFF
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
**ARCHITECTURAL
 OVERALL FLOOR PLANS
 SIXTH & EIGHTH**


SCALE: 1/8" = 1'-0" (UNLESS NOTED OTHERWISE)
 DRAWN: J. JOLIN
 CHECKED: D. VOZDZAK
 APPROVED: D. VOZDZAK
 DATE:

REVISIONS	NUMBER	DATE	DESCRIPTION


DRAWING
 NOT FOR CONSTRUCTION

A1.01


03.16.2018 PROGRESS DRAWING



SCALE: 1/16" = 1'-0" OVERALL PLAN - EIGHTH FLOOR **02**



SCALE: 1/16" = 1'-0" OVERALL PLAN - SIXTH FLOOR **01**



SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - DEMOLITION WORK 02

THE FOLLOWING KEY NOTES REFER TO ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 02/A2.00D FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.00R FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION RENOVATION WORK.

01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.

02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE; SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.

03 EXISTING SYSTEMS FURNITURE WORKSTATION AND ITS ASSOCIATED FFE SHALL BE RELOCATED BY THE AOPC PRIOR TO THE START OF DEMOLITION. SOME OF THE SYSTEMS FURNITURE COMPONENTS WILL BE RECONFIGURED FOR USE IN THE RENOVATED LAYOUT (REFER TO DRAWING A2.00R). SYSTEMS FURNITURE COMPONENTS NOT BEING RE-USED SHALL BE ADDED TO THE AOPC'S ATTIC STOCK.

04 EXISTING LOOSE FURNITURE, FURNISHING, AND EQUIPMENT (FFE) IN THE AREA REQUIRING DEMOLITION SHALL BE RELOCATED BY THE AOPC PRIOR TO THE START OF DEMOLITION. SHOULD ANY FFE REMAIN WHEN THE CONTRACTOR(S) IS READY TO BEGIN CONSTRUCTION ACTIVITIES, THE GENERAL CONTRACTOR SHALL COORDINATE WITH THE AOPC'S REPRESENTATIVE REGARDING WHETHER THE ITEMS ARE TO BE REMOVED OR PROTECTED IN PLACE BY THE G.C. FFE WILL BE RELOCATED INTO THE RENOVATED AREA BY THE AOPC. REFER TO DRAWING A2.00R FOR THE PROPOSED NEW FFE LAYOUT.

05 THE AOPC SHALL REMOVE THE TABLES AND CHAIRS PRIOR TO THE START OF DEMOLITION ACTIVITIES. THE 30"x60" RECTANGULAR TABLE AND 4 OF THE CHAIRS ARE TO BE TEMPORARILY STORED FOR RE-USE IN THE RENOVATED LAYOUT.

06 THE EXISTING WINDOW TREATMENT SHALL BE REMOVED.

07 THE EXISTING KITCHENETTE IS TO REMAIN UNCHANGED AND DOES NOT NEED TO BE REMOVED FUNCTIONAL DURING CONSTRUCTION. THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT THE KITCHENETTE DURING CONSTRUCTION.

08 EXISTING CARPETING IS TO REMAIN WITHIN THE AREAS BEING RENOVATED AND THE AREAS ADJACENT TO THOSE AREAS. PRESERVE AND PROTECT EXISTING CARPET DURING DEMOLITION AND RENOVATION ACTIVITIES.

SCALE NONE KEY NOTES FOR SECOND FLOOR DEMOLITION 01

- THESE GENERAL NOTES PERTAINING TO DEMOLITION WORK APPLY TO ALL CONTRACT DRAWINGS IN THIS SET. MORE SPECIFIC DEMOLITION NOTES APPEAR AS KEY NOTES, WHICH ARE PROVIDED ON THE DEMOLITION FLOOR PLANS.
- EXISTING CONSTRUCTION NOT SPECIFICALLY SHOWN TO BE REMOVED, BUT REQUIRED TO BE REMOVED IN PREPARATION FOR INSTALLATION OF NEW WORK, SHALL BE REMOVED BY THE CONTRACTOR(S).
- THE CONTRACTORS SHALL NOTIFY THE AOPC'S REPRESENTATIVE AT LEAST TWO (2) WEEKS PRIOR TO BEGINNING DEMOLITION WORK IN EACH AREA/ROOM/SPACE WHERE DEMOLITION WORK IS TO OCCUR.
- THE DRAWINGS PROVIDE A GENERAL REPRESENTATION OF THE EXISTING CONDITIONS AND THE CURRENT LAYOUT OF EACH SPACE. THE DRAWINGS DO NOT REPRESENT A COMPLETE AND EXTENSIVE FIELD VERIFIED LAYOUT. PRIOR TO BEGINNING DEMOLITION, THE CONTRACTOR(S) SHALL CONDUCT A COMPREHENSIVE SURVEY OF THE AREAS OF WORK AND VERIFY THE EXISTING CONDITIONS AND LAYOUT OF ALL ARCHITECTURAL AND ENGINEERING SYSTEMS. SHOULD CONDITIONS BE FOUND THAT VARY SUBSTANTIALLY FROM WHAT HAS BEEN DOCUMENTED ON THESE DRAWINGS, THE CONTRACTOR(S) SHALL CONTACT THE OWNER'S REPRESENTATIVE FOR REVIEW BEFORE PROCEEDING WITH THE WORK.
- THE "A2" SERIES DRAWINGS CONTAIN INFORMATION REGARDING BOTH THE ARCHITECTURAL DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS THE WORK TO BE PERFORMED BY THE VARIOUS PRIME CONTRACTORS (HVAC AND ELECTRICAL).
- THE AOPC INTENDS TO REMOVE ALL OF THE NON-BUILT-IN FURNITURE AND EQUIPMENT PRIOR TO THE START OF THE PROJECT. ANY ITEMS REMAINING AT THE START OF DEMOLITION SHOULD BE REVIEWED WITH THE AOPC'S REPRESENTATIVE FOR A DETERMINATION OF WHETHER THEY SHOULD BE REMOVED BY THE CONTRACTOR(S) OR PROTECTED IN PLACE.
- REFER TO THE ENGINEERING DRAWINGS FOR ADDITIONAL INFORMATION REGARDING THE DEMOLITION OF THE ENGINEERING SYSTEMS (HVAC, FIRE PROTECTION, POWER, LIGHTING, ETC.).
- EXISTING CONSTRUCTION SHOWN TO BE REMOVED THAT IS CONNECTED TO PART OF EXISTING CONSTRUCTION SHOWN TO REMAIN SHALL BE REMOVED BY PROVIDING A CLEAN, STRAIGHT, SAW-CUT LINE AT THE LOCATION OF THE EXISTING CONSTRUCTION TO REMAIN.
- FOR EXISTING INTERIOR PARTITIONS/WALLS SHOWN TO BE REMOVED, REMOVE PARTITION/WALL IN ITS ENTIRETY FROM THE FLOOR TO THE UNDERSIDE OF THE FLOOR ABOVE. REMOVE WALL BASE AND ALL FURNISHINGS, FIXTURES, AND EQUIPMENT MOUNTED TO THE PARTITION. REMOVE IN THEIR ENTIRETY ALL UTILITIES - PIPES, RACEWAYS, CONDUITS, ETC. - AND SERVICES IN OR ON THE PARTITION/WALL. DO NOT REMOVE ANY EXISTING UTILITIES THAT ARE SHOWN TO REMAIN ON THE ENGINEERING DRAWINGS.
- REMOVE AND CAP ABANDONED PIPES, RACEWAYS, DUCTWORK, ETC., INCLUDING SUPPORTING SYSTEMS AND ASSOCIATED ACCESSORIES, BACK TO THE EXISTING PARTITIONS/WALLS SCHEDULED TO REMAIN AND TO THE EXISTING UNDERSIDE OF THE FLOOR STRUCTURE ABOVE.
- THE GENERAL CONTRACTOR SHALL REMOVE IN THEIR ENTIRETY ALL ATTACHMENTS, ANCHORS, ACCESSORIES, ETC., ASSOCIATED WITH FURNITURE, EQUIPMENT, CASEWORK, AND ENGINEERING SYSTEMS REMOVED FROM EXISTING PARTITIONS, WALLS, FLOORS, AND CEILINGS TO REMAIN. THE GENERAL CONTRACTOR SHALL PATCH EXISTING PARTITIONS, WALLS, FLOORS, AND CEILINGS AS REQUIRED TO PROVIDE A SUITABLE SUBSTRATE FOR NEW FINISHES.
- THE PRIME CONTRACTOR(S) SHALL MAINTAIN IN GOOD OPERATIONAL STATE ALL ENGINEERING SYSTEMS PASSING THROUGH AREAS OF DEMOLITION, WHERE NECESSARY TO FACILITATE CONSTRUCTION, CONTRACTOR(S) SHALL TEMPORARILY RE-ROUTE EXISTING DISTRIBUTION SYSTEMS AND RELOCATE EXISTING EQUIPMENT AS REQUIRED TO MAINTAIN ENGINEERING SYSTEMS IN AN OPERATIONAL STATE.
- EACH PRIME CONTRACTOR SHALL PATCH AND/OR REPLACE ANY EXISTING CONSTRUCTION TO REMAIN THAT BECOMES DAMAGED DURING THE EXECUTION OF THEIR DEMOLITION WORK.
- AFTER COMPLETION OF THE DEMOLITION WORK, THE GENERAL CONTRACTOR SHALL REPAIR EXISTING FLOOR SLABS AS REQUIRED TO PROVIDE A SUITABLE SUBSTRATE FOR THE INSTALLATION OF NEW FLOORING FINISHES. SLAB REPAIR WORK MAY INCLUDE, BUT IS NOT LIMITED TO, FILLING IN HOLES FROM REMOVED CONSTRUCTION (PIPES, CONDUITS, DUCTS, ETC.), REMOVAL OF ROUGH SURFACES, GRINDING OF HIGH SPOTS, AND PROVIDING LEVEL FLOOR SURFACE.
- THE GENERAL CONTRACTOR SHALL REMOVE EXISTING FINISHES - GWB, MASONRY, ETC. - AS REQUIRED TO ACCOMMODATE THE CONSTRUCTION OF NEW WORK (PIPES, CONDUITS, DUCTS, ETC.) IN WALLS, CHASES, AND FURRED AREAS OF NEW WORK. AFTER THE INSTALLATION OF NEW WORK, THE GENERAL CONTRACTOR SHALL PATCH CLOSED ANY OPENINGS CREATED FOR THE CONCEALMENT OF NEW WORK WITH NEW MATERIAL MATCHING THE MATERIAL REMOVED. NEW MATERIALS - GWB, MASONRY, ETC. - SHALL MATCH AND BE BLENDED INTO THE EXISTING ADJACENT MATERIALS SUCH THAT NEW AND EXISTING FINISHES ARE VISUALLY INDISTINGUISHABLE FROM EACH OTHER. REFER TO THE FRONT-END SPECIFICATIONS FOR ADDITIONAL INFORMATION REGARDING CUTTING AND PATCHING REQUIREMENTS.

SCALE NONE GENERAL NOTES FOR DEMOLITION WORK 00

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.258.1105 F 717.754.0558

WORK AREA 1
 2ND FLOOR
 MEDICAL
 SECURITY
 STAFF

BUILDING NORTH

PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS


DRAWING TITLE
**ARCHITECTURAL
 DEMOLITION
 SECOND FLOOR PLAN
 JUDICIAL SECURITY SUITE**

SCALE 1/4" = 1'-0" OR AS NOTED
 DRAWN J. JOUIN
 CHECKED D. VOZDZAK
 APPROVED D. VOZDZAK
 DATE 05.15.2018 | BID DRAWINGS


REVISIONS
 NUMBER DATE DESCRIPTION

DRAWING


A2.00D



SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - NEW CONSTRUCTION WORK 02



SCALE 1/2" = 1'-0" NOT USED 04



SCALE 1/2" = 1'-0" PARTITION TYPE B 03

TYPE	DESCRIPTION	TERMINATION	FIRE RATING	FIRE RATING TEST No.	STC RATING	STC TEST NUMBER	ACTUAL DIMEN.
B1	3-5/8" STUD/GWB BOTH SIDES	6"	-	-	-	-	4-7/8"
B2	-	-	-	-	-	-	-
B3	-	-	-	-	-	-	-
B4	-	-	-	-	-	-	-
B5	-	-	-	-	-	-	-
B6	-	-	-	-	-	-	-

SCALE 1/2" = 1'-0" KEY NOTES FOR SECOND FLOOR RENOVATION 01

- THE FOLLOWING KEY NOTES REFER TO THE ARCHITECTURAL/GENERAL CONSTRUCTION RENOVATION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 02/A2.00R FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.00D FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION WORK.
- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE; SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
 - 03 SOLID LINES WITH SHADING INDICATE NEW PARTITION TO BE PROVIDED. REFER TO DETAIL 03/A2.00R FOR PARTITION TYPE INFORMATION. NEW PARTITIONS SHALL BE INSTALLED OVER EXISTING CARPET (CARPET IS NOT BEING REPLACED). PRESERVE AND PROTECT EXISTING CARPET TO REMAIN.
 - 04 NEW FRAME, SIDELITE, GLAZING, DOOR, AND HARDWARE REFER TO DETAIL 08/A2.01, DOOR SCHEDULE, AND TECHNICAL SPECIFICATIONS FOR ADDITIONAL INFORMATION COVERING THESE ITEMS.
 - 05 PROPOSED NEW LOCATION FOR EXISTING SYSTEMS FURNITURE TO BE RECONFIGURED/RELOCATED BY THE AOPC.
 - 06 PROPOSED NEW LOCATION FOR EXISTING AND/OR NEW LOOSE FURNITURE AND EQUIPMENT TO BE RELOCATED BY THE AOPC.
 - 07 NEW RECEPTION COUNTER TO BE INCLUDED AS PART OF THE RECONFIGURED/RELOCATED SYSTEMS FURNITURE (BY THE AOPC).
 - 08 EXISTING END PANEL TO BE REPLACED WITH NEW 84" HIGH PANEL BY THE AOPC.
 - 09 NEW FFE TO BE PROVIDED BY THE AOPC; SHOWN FOR REFERENCE AND COORDINATION.
 - 10 NEW LCD TV/MONITOR TO BE PROVIDED BY THE AOPC AND IS SHOWN FOR REFERENCE AND COORDINATION. OPEN WALL AND PROVIDE THREE (3) ROWS OF 2"x12" WOOD BLOCKING BETWEEN THE EXISTING METAL STUDS. PATCH/REPAIR WALL OPENING AND REPAINT GWB TO MATCH EXISTING ADJACENT WALL.
 - 11 INSTALL NEW DUAL-ROLLER SHADE WITH LIGHT BLOCKING SIDE CHANNELS. REFER TO TECHNICAL SPECIFICATIONS FOR ADDITIONAL INFORMATION.
 - 12 PHOTOGRAPHY BACKDROP STAND TO BE PROVIDED BY AOPC; SHOWN FOR REFERENCE.
 - 13 THE EXISTING KITCHENETTE IS TO REMAIN UNCHANGED AND DOES NOT NEED TO REMAIN FUNCTIONAL DURING CONSTRUCTION. THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT THE KITCHENETTE DURING CONSTRUCTION.
 - 14 EXISTING CARPETING IS TO REMAIN WITHIN THE AREAS BEING RENOVATED AND THE AREAS ADJACENT TO THOSE AREAS. PRESERVE AND PROTECT EXISTING CARPET DURING DEMOLITION AND RENOVATION ACTIVITIES.

SCALE NONE KEY NOTES FOR SECOND FLOOR RENOVATION 01

1. THESE GENERAL NOTES PERTAINING TO RENOVATION WORK APPLY TO ALL CONTRACT DRAWINGS IN THIS SET. MORE SPECIFIC RENOVATION NOTES APPEAR AS KEY NOTES, WHICH ARE PROVIDED ON THE RENOVATION FLOOR PLANS.
2. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS PRIME CONTRACTORS.
3. THE "A2" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL, PLUMBING, AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M2", "PP2", AND "E2" SERIES DRAWINGS, RESPECTIVELY.
4. REFER TO THE "AP" SERIES REFLECTED CEILING PLAN DRAWINGS FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS.
5. EXISTING FINISHES ARE TO REMAIN UNLESS INDICATED OTHERWISE, EXCEPT FOR ANY TOUCH-UP WORK THAT MAY BE REQUIRED TO ACCOMMODATE THE INSTALLATION OF THE NEW WORK.
6. REFER TO DRAWING A2.01 FOR ELEVATIONS COVERING NEW DOORS AND FRAMES.

SCALE NONE GENERAL NOTES FOR RENOVATION WORK 00

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.258.1105 F 717.754.0558

WORK AREA 1
 THE FLOOR
 SECURITY STAFF

PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0600
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2017 VITETTA
 PROJECT TITLE



RENOVATIONS TO THE NORTHEAST CORNER OF THE SECOND FLOOR
 FOR RELOCATION OF AOPC SECURITY STAFF
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
ARCHITECTURAL RENOVATION SECOND FLOOR PLAN JUDICIAL SECURITY SUITE

SCALE 1/4" = 1'-0" OR AS NOTED
 DRAWN J. JOUN
 CHECKED D. VOZZAK
 APPROVED D. VOZZAK
 DATE



REVISIONS
 NUMBER DATE DESCRIPTION

DRAWING NOT FOR CONSTRUCTION
A2.00R
 03.16.2018 PROGRESS DRAWING




SCALE 3" = 1'-0" **STEEL FRAME - SIDELITE SILL 11**

SCALE 3" = 1'-0" **STEEL FRAME - VERTICAL MULLION 10**




SCALE 3" = 1'-0" **STEEL FRAME - TYPICAL DOOR AND SIDELITE JAMBS 09**

SCALE 3" = 1'-0" **STEEL FRAME - TYPICAL DOOR AND SIDELITE JAMBS 09**




SCALE 1" = 1'-0" **ELEVATION OF NEW DOOR & SIDELITE 08**

SCALE 1" = 1'-0" **ELEVATION OF NEW DOOR & SIDELITE 08**



SCALE NONE **ELEVATION OF NEW WOOD DOOR & WOOD CASING 07**

SCALE NONE **ELEVATION OF NEW WOOD DOOR & WOOD CASING 07**



SCALE 1/4" = 1'-0" **PARTIAL SIXTH FLOOR - NEW DEPARTMENTAL DIVIDING WALL - RENOVATION 06**

THE FOLLOWING KEY NOTES REFER TO RENOVATION WORK ON THE SIXTH FLOOR IN THE UNIFIED GROWTH/LEGAL STAFF AREA. REFER TO DETAIL 06/A2.01 FOR KEY NOTE LOCATIONS AND DETAILS 02/A2.01 AND 03/A2.01 FOR RELATED DEMOLITION WORK.


- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
- 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE; SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
- 03 SOLID LINES WITH SHADING INDICATE NEW PARTITION TO BE PROVIDED. REFER TO DETAIL 03/A2.00R FOR PARTITION TYPE INFORMATION. NEW PARTITIONS SHALL BE INSTALLED OVER EXISTING CARPET (CARPET IS NOT BEING REPLACED). PRESERVE AND PROTECT EXISTING CARPET TO REMAIN.
- 04 NEW DOOR, FRAME, AND HARDWARE. REFER TO DETAIL 07/A2.01, DOOR SCHEDULE, AND TECHNICAL SPECIFICATIONS FOR ADDITIONAL INFORMATION COVERING THESE ITEMS.
- 05 EXISTING CARPETING IS TO REMAIN WITHIN THE AREAS BEING RENOVATED AND THE AREAS ADJACENT TO THOSE AREAS. PRESERVE AND PROTECT EXISTING CARPET DURING DEMOLITION AND RENOVATION ACTIVITIES.
- 06 THE AOPC WILL PROVIDE AND INSTALL FFE IN THIS SPACE SUBSEQUENT TO RENOVATION AND CONSTRUCTION ACTIVITIES.

SCALE NONE **KEY NOTES FOR SIXTH FLOOR RENOVATION 05**

GENERAL NOTES PERTAINING TO SIXTH FLOOR RENOVATION WORK

- REFER DETAIL 00/A2.00R FOR GENERAL NOTES COVERING ALL OF THE RENOVATION WORK TO BE PERFORMED AS PART OF THIS PROJECT.
- REFER TO THE "A2" SERIES DRAWINGS FOR ADDITIONAL INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS THE WORK OF THE VARIOUS PRIME CONTRACTORS.
- REFER TO THE "A6" SERIES REFLECTED CEILING PLAN DRAWINGS FOR ADDITIONAL INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK REQUIRED FOR THE CEILINGS, HVAC DIFFUSERS, LIGHTING, ETC.
- REFER TO DETAIL 05/A2.01 FOR KEY NOTES COVERING SPECIFIC GENERAL CONSTRUCTION RENOVATION WORK TO BE PERFORMED ON THE SIXTH FLOOR. KEY NOTE LOCATIONS ARE SHOWN ON DETAIL 06/A2.01 FOR RENOVATION WORK.

SCALE NONE **GENERAL NOTES FOR SIXTH FLOOR RENO WORK 04**



SCALE 1/4" = 1'-0" **PARTIAL SIXTH FLOOR - NEW DEPARTMENTAL DIVIDING WALL - DEMOLITION 03**

THE FOLLOWING KEY NOTES REFER TO DEMOLITION WORK ON THE SIXTH FLOOR IN THE UNIFIED GROWTH/LEGAL STAFF AREA. REFER TO DETAIL 03/A2.01 FOR KEY NOTE LOCATIONS AND DETAILS 05/A2.01 AND 06/A2.01 FOR RELATED RENOVATION WORK.

- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
- 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE; SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
- 03 EXISTING CARPETING IS TO REMAIN WITHIN THE AREAS BEING RENOVATED AND THE AREAS ADJACENT TO THOSE AREAS. PRESERVE AND PROTECT EXISTING CARPET DURING DEMOLITION AND RENOVATION ACTIVITIES.
- 04 THE AOPC SHALL REMOVE ANY LOOSE FURNITURE AND EQUIPMENT PRIOR TO THE START OF DEMOLITION ACTIVITIES.

SCALE NONE **GENERAL NOTES FOR SIXTH FLOOR DEMO WORK 01**

THE FOLLOWING KEY NOTES REFER TO DEMOLITION WORK ON THE SIXTH FLOOR IN THE UNIFIED GROWTH/LEGAL STAFF AREA. REFER TO DETAIL 03/A2.01 FOR KEY NOTE LOCATIONS AND DETAILS 05/A2.01 AND 06/A2.01 FOR RELATED RENOVATION WORK.



- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
- 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE; SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
- 03 EXISTING CARPETING IS TO REMAIN WITHIN THE AREAS BEING RENOVATED AND THE AREAS ADJACENT TO THOSE AREAS. PRESERVE AND PROTECT EXISTING CARPET DURING DEMOLITION AND RENOVATION ACTIVITIES.
- 04 THE AOPC SHALL REMOVE ANY LOOSE FURNITURE AND EQUIPMENT PRIOR TO THE START OF DEMOLITION ACTIVITIES.

SCALE NONE **KEY NOTES FOR SIXTH FLOOR DEMOLITION 02**

GENERAL NOTES PERTAINING TO DEMOLITION WORK ON THE SIXTH FLOOR

- REFER DETAIL 00/A2.00D FOR GENERAL NOTES COVERING ALL OF THE DEMOLITION WORK TO BE PERFORMED AS PART OF THIS PROJECT.
- REFER TO THE "A2" SERIES DRAWINGS FOR ADDITIONAL INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS THE WORK OF THE VARIOUS PRIME CONTRACTORS.
- REFER TO THE "A6" SERIES REFLECTED CEILING PLAN DRAWINGS FOR ADDITIONAL INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK REQUIRED FOR THE CEILINGS, HVAC DIFFUSERS, LIGHTING, ETC.
- REFER TO DETAIL 02/A2.01 FOR KEY NOTES COVERING SPECIFIC GENERAL CONSTRUCTION DEMOLITION WORK TO BE PERFORMED ON THE SIXTH FLOOR. KEY NOTE LOCATIONS ARE SHOWN ON DETAIL 03/A2.01 FOR DEMOLITION WORK.

SCALE NONE **GENERAL NOTES FOR SIXTH FLOOR DEMO WORK 01**



PROJECT 4613.0671
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
© 2018 VITETTA

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
AT THE
PENNSYLVANIA JUDICIAL CENTER
601 COMMONWEALTH AVENUE
HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
FOR THE
ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS


DRAWING TITLE
ARCHITECTURAL DEMOLITION/RENOVATION SIXTH FLOOR PLANS U.G./LEGAL STAFF SUITE

SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUIN
CHECKED	D. VOZZAK
APPROVED	D. VOZZAK
DATE	05.15.2018 BID DRAWINGS

REVISIONS	NUMBER	DATE	DESCRIPTION

DRAWING


A2.01



SCALE 1/4" = 1'-0"
PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - RENOVATION WORK 06

- | | | |
|--|---|--|
| <p>THE FOLLOWING KEY NOTES REFER TO THE EIGHTH FLOOR RENOVATION WORK. REFER TO DETAIL 06A2.05 FOR KEY NOTE LOCATIONS AND DETAILS 02A2.05 AND 03A2.05 FOR RELATED DEMOLITION WORK.</p> <ul style="list-style-type: none"> 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES. 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE, SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES. 03 NEW LOCATION FOR EXISTING SYSTEMS FURNITURE WALL PANELS ("L-SHAPE") TO BE RELOCATED BY THE AOPC. COORDINATE WITH THE AOPC'S REPRESENTATIVE AS REQUIRED. 04 NEW LOCATION FOR THE EXISTING FURNITURE TO BE RELOCATED BY THE AOPC; COORDINATE WITH THE AOPC'S REPRESENTATIVE AS REQUIRED. 05 CONSTRUCT A NEW PARTITION SEPARATING THE OFFICE AREA TO THE EAST OF PASSAGE B817 FROM PASSAGE B817. | <ul style="list-style-type: none"> 06 CONSTRUCTION NEW PARTITION TO MILL OPENING FOR EXISTING DOOR B860A, WHICH IS TO BE RELOCATED TO NEW POSITION. REFER TO DEMOLITION KEY NOTE 05 AND RENOVATION KEY NOTE 04. 07 RELOCATE EXISTING DOOR, SIDELITE, AND FRAME B860A TO NEW POSITION. INSTALL NEW PARTITION SEGMENTS AS REQUIRED ADJACENT TO DOOR JAMBS. MATCH EXISTING WALL THICKNESS, FINISH, ETC. 08 PROVIDE AND INSTALL NEW DOOR AND FRAME B817A IN LOCATION SHOWN. REFER TO THE FINISH SCHEDULE IN THE TECHNICAL SPECIFICATIONS FOR ADDITIONAL INFORMATION REGARDING THIS DOOR. 09 EXISTING CARPETING IS TO REMAIN WITHIN THE AREAS BEING RENOVATED AND THE AREAS ADJACENT TO THOSE AREAS. PRESERVE AND PROTECT EXISTING CARPET DURING DEMOLITION AND RENOVATION ACTIVITIES. | <ul style="list-style-type: none"> 1. REFER DETAIL 04A2.01 FOR THE GENERAL NOTES COVERING ALL OF THE RENOVATION WORK IN THIS PROJECT. 2. REFER TO THE "A2" SERIES DRAWINGS FOR INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AND BETWEEN THE VARIOUS CONTRACTORS. 3. REFER TO THE "A6" SERIES DRAWINGS FOR THE REFLECTED CEILING PLANS AND FOR INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK REQUIRED FOR THE CEILINGS. |
|--|---|--|

SCALE NONE
KEY NOTES FOR EIGHTH FLOOR RENOVATION 05 **GENERAL NOTES FOR EIGHTH FLOOR RENO 04**




SCALE 1/4" = 1'-0"
PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - DEMOLITION WORK 03


- | | | |
|--|---|--|
| <p>THE FOLLOWING KEY NOTES REFER TO THE EIGHTH FLOOR DEMOLITION WORK. REFER TO DETAIL 03A2.05 FOR KEY NOTE LOCATIONS AND DETAILS 05A2.05 AND 06A2.05 FOR RELATED RENOVATION WORK.</p> <ul style="list-style-type: none"> 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES. 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE, SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES. 03 EXISTING SYSTEMS FURNITURE ALONG THE WEST SIDE OF THIS SPACE SHALL BE REMOVED BY THE AOPC PRIOR TO THE START OF DEMOLITION. 04 EXISTING SYSTEMS FURNITURE WALL PANELS ("L-SHAPE") SHALL BE REMOVED BY THE AOPC PRIOR TO THE START OF DEMOLITION AND THEN RELOCATED TO THE NEW POSITION SHOWN IN DETAIL 06A2.02 BY THE AOPC. 05 EXISTING LOOSE FURNITURE AND EQUIPMENT SHALL BE RELOCATED BY THE AOPC PRIOR TO THE START OF DEMOLITION & CONSTRUCTION AND THEN RELOCATED TO ITS NEW POSITION WITHIN THIS SAME SPACE. | <ul style="list-style-type: none"> 06 SEGMENT OF EXISTING PARTITION TO BE REMOVED AS REQUIRED FOR THE RELOCATION OF EXISTING DOOR B860A. COORDINATE WITH DETAIL 06A2.02. 07 REMOVE EXISTING DOOR, SIDELITE, AND FRAME FOR REINSTALLATION IN NEW LOCATION SHOWN IN DETAIL 06A2.02. 08 EXISTING CARPETING IS TO REMAIN WITHIN THE AREAS BEING RENOVATED AND THE AREAS ADJACENT TO THOSE AREAS. PRESERVE AND PROTECT EXISTING CARPET DURING DEMOLITION AND RENOVATION ACTIVITIES. | <ul style="list-style-type: none"> 1. REFER TO DETAIL 01A2.01 FOR THE GENERAL NOTES COVERING ALL OF THE DEMOLITION WORK IN THIS PROJECT. 2. REFER TO THE "A2" SERIES DRAWINGS FOR INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AND BETWEEN THE VARIOUS CONTRACTORS. 3. REFER TO THE "A6" SERIES DRAWINGS FOR THE REFLECTED CEILING PLANS AND FOR INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK REQUIRED FOR THE CEILINGS. 4. REFER TO DRAWING A2.01 FOR PARTITION TYPE INFORMATION. |
|--|---|--|

SCALE NONE
KEY NOTES FOR EIGHTH FLOOR DEMOLITION 02 **GENERAL NOTES FOR EIGHTH FLOOR DEMO 01**

SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUIN
CHECKED	D. VOUDZAK
APPROVED	D. VOUDZAK
DATE	05.15.2018 BID DRAWINGS
REVISIONS	NUMBER DATE DESCRIPTION



PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL



PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS


DRAWING TITLE
ARCHITECTURAL DEMOLITION/RENOVATION EIGHTH FLOOR PLAN CARPET REPLACEMENT

SCALE 1/4" = 1'-0" OR AS NOTED
 DRAWN J. JOHN
 CHECKED D. VODZAK
 APPROVED D. VODZAK
 DATE 05.15.2018 | BID DRAWINGS

REVISIONS	NUMBER	DATE	DESCRIPTION

DRAWING

A2.12



SCALE 3/16" = 1'-0"
 NOT USED **04**
 SCALE NONE

EIGHTH FLOOR PLAN - DEMOLITION AND RENOVATION WORK - CARPET REPLACEMENT 03

GENERAL NOTES FOR CARPET REPLACEMENT RENOVATION WORK

- THE EXISTING SYSTEMS FURNITURE LAYOUT IS SHOWN FOR REFERENCE ONLY AND MAY VARY FROM ACTUAL FIELD CONDITIONS.
- THE EXISTING SYSTEMS FURNITURE WILL BE REMOVED AND RESET BY THE AOPC.
- PROVIDE NEW TRANSITIONS AT CARPET TERMINATION POINTS. NEW TRANSITIONS SHALL MATCH TYPE, MATERIAL, COLOR, ETC., OF EXISTING TRANSITIONS.
- THE SYMBOL SHOWN BELOW INDICATES THE NEW FLOORING MATERIAL TO BE INSTALLED. REFER TO THE TECHNICAL SPECIFICATIONS FOR SPECIFICS REGARDING MANUFACTURER, STYLE, PATTERN, COLOR, ETC.

CPT-# THIS SYMBOL INDICATES THE NEW FLOORING FINISH TO BE PROVIDED. REFER TO DEMOLITION WORK KEY NOTES FOR ABBREVIATIONS.

KEY NOTES FOR CARPET REPLACEMENT RENOVATION WORK

- "SOLID" HATCHING INDICATES NEW CPT-4 TO BE PROVIDED AND INSTALLED.
 - REFER TO THE TECHNICAL SPECIFICATION SECTION(S) COVERING CARPET FOR MANUFACTURER, STYLE, PATTERN, COLOR, AND OTHER INFORMATION.
 - HATCHING DOES NOT INDICATE COLOR, PATTERN, DIRECTION, ETC.
- QUANTITY OF CARPET TO BE INSTALLED IS APPROXIMATELY 8,608 SQUARE FEET (957 SQUARE YARDS). THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE QUANTITY OF NEW CARPET TO BE ORDERED, PROVIDED, AND INSTALLED, INCLUDING ANY OVERAGE AMOUNTS, ETC.
- THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND INSTALLING CARPET CUSHION, REDUCERS, TRANSITIONS, AND ANY AND ALL OTHER ACCESSORIES REQUIRED FOR A COMPLETE CARPET INSTALLATION. REFER TO THE TECHNICAL SPECIFICATION SECTION(S) COVERING CARPET FOR ADDITIONAL INFORMATION.
- NEW PARTITION. REFER TO DRAWING A2.02 FOR ADDITIONAL INFORMATION.
- NEW DOOR, FRAME, AND HARDWARE. REFER TO DRAWING A2.02 FOR ADDITIONAL INFORMATION.

ELECTRICAL CONSTRUCTION CONTRACT - ELECTRICAL POWER RENOVATION

- RECONNECT POWER AND DATA FEEDS TO SYSTEMS FURNITURE AFTER CARPET INSTALLATION IS COMPLETED AND SYSTEMS FURNITURE HAS BEEN REINSTALLED.

GENERAL NOTES FOR CARPET REPLACEMENT DEMOLITION WORK

- THE EXISTING SYSTEMS FURNITURE LAYOUT IS SHOWN FOR REFERENCE ONLY AND MAY VARY FROM ACTUAL FIELD CONDITIONS.
- THE EXISTING SYSTEMS FURNITURE WILL BE REMOVED AND RESET BY THE AOPC.
- THE SYMBOL SHOWN BELOW INDICATES THE EXISTING FLOORING MATERIAL. FLOORING MATERIAL ABBREVIATIONS ARE ALSO INDICATED.

CPT-#	CFT	CERAMIC FLOOR TILE
CONC-P	CONC-P	CONCRETE WITH PAINTED FINISH
CPT	CPT	CARPET
GFT	GFT	GRANITE FLOOR TILE
RES	RES	RESILIENT FLOORING
VCT	VCT	VINYL COMPOSITION TILE


KEY NOTES FOR CARPET REPLACEMENT DEMOLITION

- "SOLID" HATCHING INDICATES THOSE SPACES CONTAINING EXISTING CPT-2A, WHICH IS TO BE REMOVED UNDER THIS CONTRACT.
- QUANTITY OF CARPET TO BE REPLACED IS APPROXIMATELY 8,608 SQUARE FEET (957 SQUARE YARDS). THE GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE QUANTITY OF CARPET TO BE REMOVED.
- COORDINATE REMOVAL OF REDUCERS, TRANSITIONS, AND OTHER ACCESSORIES WITH THE TECHNICAL SPECIFICATIONS COVERING DEMOLITION ACTIVITIES AND NEW CARPET.



ELECTRICAL CONSTRUCTION CONTRACT - ELECTRICAL POWER DEMOLITION

- DISCONNECT AND REMOVE POWER AND DATA FEEDS AT ALL SYSTEMS FURNITURE LOCATIONS TO ALLOW FOR THE REMOVAL OF THE SYSTEMS FURNITURE.

SCALE NONE
 GENERAL & KEY NOTES - DEMO WORK - CARPET REPLACEMENT **01**



SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - CEILING DEMOLITION WORK **03**



THE FOLLOWING KEY NOTES REFER TO CEILING DEMOLITION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 03/A6.000 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A6.02R FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION RENOVATION WORK.

- 01** THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
- 02** NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE; SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
- 03** REMOVE EXISTING ACOUSTICAL CEILING PANELS AND ASSOCIATED METAL SUSPENSION GRID IN AREA INDICATED, WHICH SHALL BECOME A NEW WORKROOM AND TWO (2) NEW PRIVATE OFFICES. STORE EXISTING CEILING PANELS FOR RE-INSTALLATION DURING RENOVATION. PROVIDE TEMPORARY SUPPORT AS NEEDED AT PERIMETER OF NEW OPENING TO PREVENT SAGGING/COLLAPSE OF EXISTING ACOUSTICAL PANEL CEILING UNTIL NEW CEILING SYSTEM IS INSTALLED. THE ADJACENT EXISTING GWB SOFFIT AND ASSOCIATED METAL TRIM IS TO REMAIN; G.C. TO PRESERVE AND PROTECT DURING CONSTRUCTION.
- 04** EXISTING LIGHT FIXTURE(S) TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES. TYPICAL FOR ALL FIXTURES IN THIS AREA.
- 05** EXISTING HVAC DIFFUSER TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES. TYPICAL FOR ALL DIFFUSERS IN THIS AREA.
- 06** EXISTING EXIT SIGN TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES.
- 07** EXISTING OCCUPANCY SENSOR TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES.
- 08** EXISTING LIGHTING FIXTURE TO BE REMOVED BY ELECTRICAL CONTRACTOR. REFER TO DRAWING EL2.00 FOR ADDITIONAL INFORMATION.
- 09** EXISTING HVAC DIFFUSER TO BE REMOVED BY MECHANICAL CONTRACTOR. REFER TO DRAWINGS M2.00D AND M2.00R FOR ADDITIONAL INFORMATION.
- 10** EXISTING OCCUPANCY SENSOR TO BE REMOVED BY ELECTRICAL CONTRACTOR. REFER TO DRAWING EL2.00 FOR ADDITIONAL INFORMATION.

SCALE NONE **KEY NOTES FOR SECOND FLOOR CEILING DEMOLITION 02**

1. THESE GENERAL NOTES PERTAINING TO DEMOLITION WORK APPLY TO ALL OF THE "A6" SERIES REFLECTED CEILING PLAN DRAWINGS.
2. REFER TO THE "A2" SERIES DRAWINGS FOR INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AND BETWEEN THE VARIOUS CONTRACTORS.
3. REFER TO THE ENGINEERING DRAWINGS FOR ADDITIONAL INFORMATION REGARDING CEILING MOUNTED DEVICES TO BE REMOVED, SUCH AS LIGHT FIXTURES, EXIT SIGNS, DIFFUSERS, FIRE ALARMS DEVICES, ETC.
4. EXISTING FINISHES ARE TO REMAIN UNLESS INDICATED OTHERWISE, EXCEPT FOR ANY TOUCH-UP WORK REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.
5. REFER TO THE ENGINEERING DRAWINGS FOR ADDITIONAL CEILING MOUNTED ITEMS TO BE REMOVED UNDER THE MECHANICAL AND ELECTRICAL CONTRACTS; FOR EXAMPLE, FIRE ALARM WARNING DEVICES.

SCALE NONE **GENERAL NOTES FOR CEILING DEMOLITION 01**

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.258.1105 F 717.754.0558

WORK AREA 1
 2ND FLOOR
 SECURITY STAFF

BUILDING NORTH
 PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA


PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
ARCHITECTURAL DEMOLITION REFLECTED CEILING PLAN SECOND FLOOR JUDICIAL SECURITY SUITE


SCALE 1/4" = 1'-0" OR AS NOTED
 DRAWN J. JOUIN
 CHECKED D. VOZDZAK
 APPROVED D. VOZDZAK
 DATE 05.15.2018 | BID DRAWINGS

REVISIONS
 NUMBER DATE DESCRIPTION


DRAWING
A6.00D




SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - RENOVATION WORK 03



SCALE 1-1/2" = 1'-0" TYPICAL ACOUSTICAL PANEL CEILING TO WALL TRANSITION 04



SCALE NONE TYPICAL ACOUSTICAL PANEL CEILING LAYOUT GUIDELINES 03



SCALE NONE NOT USED 04

- THE FOLLOWING KEY NOTES REFER TO THE CEILING RENOVATION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 03/A6.00R FOR KEY NOTE LOCATIONS. REFER TO DRAWING A6.00D FOR RELATED CEILING DEMOLITION WORK.
- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE; SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
 - 03A PROVIDE AND INSTALL NEW ACOUSTICAL PANEL CEILING PANELS, METAL SUSPENSION GRID, WALL TRIM, AND ANY OTHER REQUIRED ACCESSORIES. REFER TO TECHNICAL SPECS FOR MANUFACTURER, STYLE, SIZE, ETC. THE ADJACENT EXISTING GWB SOFFIT AND ASSOCIATED METAL TRIM IS TO REMAIN; G.C. TO PRESERVE AND PROTECT DURING CONSTRUCTION.
 - 03B ALONG OPEN OFFICE SIDE OF NEW PARTITION, PROVIDE AND INSTALL NEW CEILING WALL TRIM AS REQUIRED TO SUPPORT THE EXISTING CEILING PANELS. CUT AND REINSTALL EXISTING CEILING PANELS REMOVED AND STORED DURING DEMOLITION.
 - 04 EXISTING LIGHT FIXTURE(S) TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES. TYPICAL FOR ALL FIXTURES IN THIS AREA.
 - 05 EXISTING HVAC DIFFUSER TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES. TYPICAL FOR ALL DIFFUSERS IN THIS AREA.
 - 06 EXISTING EXIT SIGN TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES.
 - 07 EXISTING OCCUPANCY SENSOR TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION/RENOVATION ACTIVITIES.
 - 08 NEW LIGHTING FIXTURE TO BE PROVIDED AND INSTALLED BY ELECTRICAL CONTRACTOR. REFER TO DRAWING EL2.00 FOR ADDITIONAL INFORMATION.
 - 09 NEW HVAC DIFFUSER TO BE PROVIDED AND INSTALLED BY MECHANICAL CONTRACTOR. REFER TO DRAWINGS M2.00D AND M2.00R FOR ADDITIONAL INFORMATION.
 - 10 NEW OCCUPANCY SENSOR TO BE PROVIDED AND INSTALLED BY ELECTRICAL CONTRACTOR. REFER TO DRAWING EL2.00 FOR ADDITIONAL INFORMATION.

SCALE NONE KEY NOTES FOR SECOND FLOOR RENOVATION 02

- 1. THESE GENERAL NOTES PERTAINING TO RENOVATION WORK APPLY TO ALL OF THE "A6" SERIES DRAWINGS.
- 2. REFER TO THE "A2" SERIES DRAWINGS FOR INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AND BETWEEN THE VARIOUS CONTRACTORS.
- 3. REFER TO THE "A6" SERIES DRAWINGS FOR INFORMATION REGARDING CEILING CONSTRUCTION AND MATERIALS IN THE AREAS TO BE RENOVATED.
- 4. EXISTING FINISHES ARE TO REMAIN, UNLESS INDICATED OTHERWISE, EXCEPT FOR ANY TOUCH-UP WORK REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.
- 5. REFER TO DETAIL 07/A6.01 FOR TYPICAL ACOUSTICAL PANEL CEILING LAYOUT GUIDELINES.
- 6. REFER TO DETAIL 08/A6.01 FOR TYPICAL ACOUSTICAL PANEL CEILING TO WALL TRANSITION DETAIL.
- 7. REFER TO THE ENGINEERING DRAWINGS FOR ADDITIONAL CEILING MOUNTED ITEMS TO BE PROVIDED AND INSTALLED UNDER THE MECHANICAL AND ELECTRICAL CONTRACTS; FOR EXAMPLE, FIRE ALARM WARNING DEVICES.

SCALE NONE GENERAL NOTES FOR CEILING RENOVATION 01

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.259.1105 F 717.754.0558

WORK AREA 1
 2ND FLOOR
 SECURITY STAFF

BUILDING NORTH

PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS


DRAWING TITLE
 ARCHITECTURAL RENOVATION REFLECTED CEILING PLAN SECOND FLOOR JUDICIAL SECURITY SUITE

SCALE 1/4" = 1'-0" OR AS NOTED
 DRAWN J. JOUIN
 CHECKED D. VOZNAK
 APPROVED D. VOZNAK
 DATE 05.15.2018 | BID DRAWINGS


REVISIONS
 NUMBER DATE DESCRIPTION

DRAWING


A6.00R




SCALE NONE NOT USED 08




SCALE NONE NOT USED 07




SCALE NONE NOT USED 06



SCALE NONE NOT USED 05



SCALE 1/4" = 1'-0" PARTIAL SIXTH FLOOR - NEW DEPARTMENTAL DIVIDING WALL - RENOVATION 04



SCALE 1/4" = 1'-0" PARTIAL SIXTH FLOOR - NEW DEPARTMENTAL DIVIDING WALL - DEMOLITION 02

- THE FOLLOWING KEY NOTES REFER TO RENOVATION WORK ON THE SIXTH FLOOR IN THE UNIFIED GROWTH/LEGAL STAFF AREA. REFER TO DETAIL 06A2.01 FOR KEY NOTE LOCATIONS AND DETAILS 02A2.01 AND 03A2.01 FOR RELATED DEMOLITION WORK. REFER TO DRAWING A6.00R FOR GENERAL NOTES PERTAINING TO CEILING-RELATED RENOVATION WORK.
- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE. SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
 - 03 TRIM EXISTING SUSPENDED METAL CEILING GRID AS REQUIRED FOR INSTALLATION OF NEW PARTITION. INSTALL NEW SUPPORT WIRES AS NEEDED. INSTALL NEW CEILING SYSTEM EDGE TRIM ALONG NEW PARTITION (MATCH EXISTING). RE-INSTALL EXISTING ACOUSTICAL CEILING PANELS REMOVED DURING DEMOLITION AND TRIM TO NEW SIZE AS REQUIRED.
 - 04 EXISTING LIGHT FIXTURE TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 05 EXISTING HVAC DIFFUSER TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 06 EXISTING EXIT SIGN TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 07 EXISTING OCCUPANCY SENSOR TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.

SCALE NONE KEY NOTES FOR SIXTH CEILING RENOVATION 03

- THE FOLLOWING KEY NOTES REFER TO CEILING DEMOLITION WORK ON THE SIXTH FLOOR IN THE UNIFIED GROWTH/LEGAL STAFF AREA. REFER TO DETAIL 03A6.01 FOR KEY NOTE LOCATIONS AND DETAILS 03A6.01 AND 06A6.01 FOR RELATED RENOVATION WORK. REFER TO DRAWING A6.00D FOR GENERAL NOTES PERTAINING TO CEILING-RELATED DEMOLITION WORK.
- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE. SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
 - 03 REMOVE EXISTING ACOUSTICAL CEILING PANELS LOCATED IN AREA TO RECEIVE NEW PARTITION. STORE ON-SITE, AND PRESERVE AND PROTECT FOR RE-INSTALLATION.
 - 04 EXISTING LIGHT FIXTURE TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES. TYPICAL FOR ALL FIXTURES IN THIS AREA.
 - 05 EXISTING HVAC DIFFUSER TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES. TYPICAL FOR ALL DIFFUSERS IN THIS AREA.
 - 06 EXISTING EXIT SIGN TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 07 EXISTING OCCUPANCY SENSOR TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.

SCALE NONE KEY NOTES FOR SIXTH CEILING DEMOLITION 01

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 717.253.1165 F 717.754.0558

WORK AREA 2
 6TH FLOOR
 UNIFIED GROWTH
 AND
 LEGAL STAFF

BUILDING NORTH

PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE

ARCHITECTURAL
 DEMOLITION/RENOVATION
 REFLECTED CEILING PLAN
 SIXTH FLOOR
 U.G./LEGAL STAFF SUITE


SCALE 1/4" = 1'-0" OR AS NOTED

DRAWN J. JOLIN
 CHECKED D. VOZDZAK
 APPROVED D. VOZDZAK
 DATE 05.15.2018 | BID DRAWINGS

REVISIONS	NUMBER	DATE	DESCRIPTION

DRAWING


A6.01



SCALE 1/4" = 1'-0" PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - CEILING RENOVATION WORK **06**

- THE FOLLOWING KEY NOTES REFER TO THE EIGHTH FLOOR CEILING RENOVATION WORK. REFER TO DETAIL 06/A6.02 FOR KEY NOTE LOCATIONS AND DETAILS 02/A6.02 AND 03/A6.02 FOR RELATED CEILING DEMOLITION WORK. REFER TO DRAWING A6.00D FOR GENERAL NOTES PERTAINING TO CEILING-RELATED RENOVATION WORK.
- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE. SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
 - 03 PROVIDE AND INSTALL NEW ACOUSTICAL CEILING PANELS, METAL SUSPENSION GRID, WALL TRIM, AND ANY OTHER REQUIRED ACCESSORIES. REFER TO TECHNICAL SPECS FOR MANUFACTURER, MODEL, SIZE, ETC.
 - 04 EXISTING LIGHT FIXTURE TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 05 EXISTING HVAC DIFFUSER TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 06 EXISTING EXIT SIGN TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 07 EXISTING OCCUPANCY SENSOR TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 08 NEW LIGHT FIXTURE. COORDINATE WITH ELECTRICAL LIGHTING DRAWINGS.
- 09 NEW HVAC DIFFUSER. COORDINATE WITH HVAC DUCTWORK DRAWINGS.


SCALE NONE KEY NOTES FOR EIGHTH FLOOR CEILING RENOVATION **04**



SCALE 1/4" = 1'-0" PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - CEILING DEMOLITION WORK **03**

- THE FOLLOWING KEY NOTES REFER TO THE EIGHTH FLOOR CEILING DEMOLITION WORK. REFER TO DETAIL 03/A6.02 FOR KEY NOTE LOCATIONS AND DETAILS 05/A6.02 AND 06/A6.02 FOR RELATED CEILING RENOVATION WORK. REFER TO DRAWING A6.00D FOR GENERAL NOTES PERTAINING TO CEILING-RELATED DEMOLITION WORK.
- 01 THE GENERAL CONTRACTOR SHALL PRESERVE AND PROTECT EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 02 NO GENERAL CONSTRUCTION WORK SCHEDULED FOR THIS SPACE. SHOWN FOR REFERENCE ONLY. THE G.C. SHALL PRESERVE AND PROVIDE THE EXISTING CONDITIONS TO REMAIN - ELEVATOR LOBBY, CORRIDORS, ADJACENT OPEN OFFICE AREAS, ETC. - AND SHALL ALLOW FOR THE SAFE USE OF THESE SPACES DURING THE CONSTRUCTION ACTIVITIES.
 - 03 REMOVE EXISTING ACOUSTICAL CEILING PANELS AND ASSOCIATED METAL SUSPENSION GRID IN AREA INDICATED; STORE EXISTING CEILING PANELS FOR RE-INSTALLATION DURING RENOVATION. PROVIDE TEMPORARY SUPPORT AS NEEDED AT PERIMETER OF NEW OPENING TO PREVENT SAGGING/COLLAPSE OF EXISTING ACOUSTICAL PANEL CEILING UNTIL NEW CEILING SYSTEM IS INSTALLED. THE ADJACENT EXISTING GWB SOFFIT AND ASSOCIATED METAL TRIM IS TO REMAIN. G.C. TO PRESERVE AND PROTECT DURING CONSTRUCTION.
 - 04 EXISTING LIGHT FIXTURE TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 05 EXISTING HVAC DIFFUSER TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 06 EXISTING EXIT SIGN TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 07 EXISTING OCCUPANCY SENSOR TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
- 08 EXISTING LIGHT FIXTURE TO BE REMOVED BY ELECTRICAL CONTRACTOR. REFER TO DRAWING EL.02 FOR ADDITIONAL INFORMATION.
- 09 EXISTING HVAC DIFFUSER TO BE REMOVED BY MECHANICAL CONTRACTOR. REFER TO DRAWING MZ.02 FOR ADDITIONAL INFORMATION.

SCALE NONE KEY NOTES FOR EIGHTH FLOOR CEILING DEMOLITION **01**




PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA
 PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
ARCHITECTURAL DEMOLITION/RENOVATION REFLECTED CEILING PLAN EIGHTH FLOOR CHIEF JUSTICE SUITE

SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUN
CHECKED	D. VOZAK
APPROVED	D. VOZAK
DATE	05.15.2018 BID DRAWINGS
REVISIONS	NUMBER DATE DESCRIPTION



THE FOLLOWING KEY NOTES REFER TO HVAC DUCT DEMOLITION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 02M200 FOR KEY NOTE LOCATIONS. REFER TO DRAWING M2.00R FOR RELATED HVAC DUCT RENOVATION WORK. REFER TO DRAWINGS A2.00D AND A2.00R FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION WORK.

- NO MECHANICAL DUCT DEMOLITION WORK IS SCHEDULED FOR THIS AREA UNDER THIS CONTRACT.
- EXISTING FPB 2B-6, FPB 2B-7, FPB 2B-8, AND FPB 2B-9 TO REMAIN.
- EXISTING SUPPLY DIFFUSER TO REMAIN. PRESERVE AND PROTECT DIFFUSER DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
- EXISTING SUPPLY DIFFUSER TO BE RELOCATED TO NEW POSITION WITHIN NEW CEILING GRID; COORDINATE WITH ARCHITECTURAL REFLECTED CEILING PLAN. PRESERVE AND PROTECT DIFFUSER DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
- EXISTING RETURN DIFFUSER TO REMAIN. PRESERVE AND PROTECT DIFFUSER DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
- EXISTING RIGID SHEET METAL DUCT TO REMAIN.
- SECTION OF EXISTING RIGID SHEET METAL DUCT TO BE REMOVED.
- EXISTING FLEX DUCT TO BE REMOVED.

SCALE
1/4" = 1'-0"



PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - DEMOLITION WORK **02**

SCALE NONE KEY NOTES FOR SECOND FLOOR DEMOLITION **01**

- GENERAL NOTES PERTAINING TO DEMOLITION WORK ON THE SECOND FLOOR
1. REFER DETAIL 01A2.01 FOR THE GENERAL NOTES COVERING ALL DEMOLITION WORK.
 2. REFER TO THE "A2" SERIES DRAWINGS FOR INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE DEMOLITION AND RENOVATION PHASES, AND BETWEEN THE VARIOUS CONTRACTORS.
 3. REFER TO THE "A6" SERIES REFLECTED CEILING PLAN DRAWINGS FOR INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK FOR THE CEILINGS.

SCALE NONE GENERAL NOTES FOR SECOND FLOOR DEMOLITION **00**

VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729
SUITE 100 | 2505 NORTH FRONT STREET
HARRISBURG, PA 17110
717.253.1165 F 717.754.0558



PROJECT 4613.0671
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
© 2018 VITETTA

PROJECT TITLE
MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
AT THE
PENNSYLVANIA JUDICIAL CENTER
601 COMMONWEALTH AVENUE
HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
FOR THE
ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS


DRAWING TITLE
MECHANICAL DUCTWORK
DEMOLITION
SECOND FLOOR PLAN
JUDICIAL SECURITY SUITE

SCALE 1/4" = 1'-0" OR AS NOTED
DRAWN J. JOUN
CHECKED D. VOZDZAK
APPROVED D. VOZDZAK
DATE 05.15.2018 | BID DRAWINGS

REVISIONS	NUMBER	DATE	DESCRIPTION

DRAWING

M2.00D



SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - NEW CONSTRUCTION WORK 02

- THE FOLLOWING KEY NOTES REFER TO THE HVAC DUCT RENOVATION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 02/M2.00R FOR KEY NOTE LOCATIONS. REFER TO DRAWING M2.00D FOR RELATED HVAC DUCT DEMOLITION WORK.
- 01 NO MECHANICAL DUCT DEMOLITION WORK IS SCHEDULED FOR THIS AREA UNDER THIS CONTRACT.
 - 02 EXISTING FPB 2B-6, FPB 2B-7, FPB 2B-8, AND FPB 2B-9 TO REMAIN.
 - 03 EXISTING SUPPLY DIFFUSER TO REMAIN. PRESERVE AND PROTECT DIFFUSER DURING DEMOLITION AND CONSTRUCTION ACTIVITIES. RE-BALANCE TO CFM LEVEL INDICATED ON DRAWING NEAR DIFFUSER SYMBOL.
 - 04 EXISTING SUPPLY DIFFUSER TO BE RELOCATED TO NEW POSITION WITHIN NEW CEILING GRID. COORDINATE WITH ARCHITECTURAL REFLECTED CEILING PLAN. PRESERVE AND PROTECT DIFFUSER DURING DEMOLITION AND CONSTRUCTION ACTIVITIES. RE-BALANCE TO CFM LEVEL INDICATED ON DRAWING NEAR DIFFUSER SYMBOL.
 - 05 EXISTING RETURN DIFFUSER TO REMAIN. PRESERVE AND PROTECT DIFFUSER DURING DEMOLITION AND CONSTRUCTION ACTIVITIES.
 - 06 EXISTING RIGID SHEET METAL DUCT TO REMAIN.
 - 07 PROVIDE AND INSTALL NEW RIGID METAL DUCT, SIZE AS INDICATED ON DRAWING.
 - 08 PROVIDE NEW FLEX DUCT.
 - 09 PROVIDE NEW SUPPLY DIFFUSER, MATCH MANUFACTURER AND STYLE OF EXISTING SUPPLY DIFFUSERS IN THIS SPACE. COORDINATE LOCATIONS WITH ARCHITECTURAL REFLECTED CEILING PLAN. BALANCE TO CFM LEVEL INDICATED ON DRAWING NEAR DIFFUSER SYMBOL.
 - 10 PROVIDE NEW RETURN DIFFUSER, MATCH MANUFACTURER AND STYLE OF EXISTING RETURN DIFFUSERS IN THIS SPACE. COORDINATE LOCATIONS WITH ARCHITECTURAL REFLECTED CEILING PLAN. BALANCE TO CFM LEVEL INDICATED ON DRAWING NEAR DIFFUSER SYMBOL.
 - 11 PROVIDE NEW INTERNAL INSULATED SOUND TRAP RETURN DUCT.

SCALE NONE KEY NOTES FOR SECOND FLOOR RENOVATION 01

GENERAL NOTES PERTAINING TO SECOND FLOOR RENOVATION WORK

1. REFER DETAIL 04/A2.01 FOR THE GENERAL NOTES COVERING ALL RENOVATION WORK.
2. REFER TO THE "A2" SERIES DRAWINGS FOR INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AND BETWEEN THE VARIOUS CONTRACTORS.
3. REFER TO THE "A6" SERIES REFLECTED CEILING PLAN DRAWINGS FOR INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK FOR THE CEILINGS.

SCALE NONE GENERAL NOTES FOR SECOND FLOOR RENOVATION 00

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.253.1165 F 717.754.0558

WORK AREA 1
 NEW FLOOR
 MEDICAL
 SECURITY
 STAIR

BUILDING NORTH

PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
 MECHANICAL DUCTWORK
 RENOVATION
 SECOND FLOOR PLAN
 JUDICIAL SECURITY SUITE

SCALE 1/4" = 1'-0" OR AS NOTED

DRAWN	J. JOUN
CHECKED	D. VOZAK
APPROVED	D. VOZAK
DATE	05.15.2018 BID DRAWINGS


REVISIONS

NUMBER	DATE	DESCRIPTION

DRAWING

M2.00R

SCALE NONE	NOT USED 10	SCALE NONE	NOT USED 06
SCALE NONE	NOT USED 09	SCALE NONE	NOT USED 05
SCALE NONE	NOT USED 08	SCALE NONE	NOT USED 04
SCALE NONE	NOT USED 07	SCALE NONE	NOT USED 03



SCALE 1/4" = 1'-0"
PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - DUCTWORK 02

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL LIGHTING CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE EIGHTH FLOOR. REFER TO DRAWING A2.01 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION WORK.

- 00 NO NEW WORK IN THIS AREA. ALL EXISTING DUCTWORK, DIFFUSERS, ETC., TO REMAIN IN PLACE.
- 01 PRESERVE AND PROTECT EXISTING CONDITIONS WHILE PERFORMING WORK IN THIS AREA.
- 02 PROVIDE AND INSTALL NEW ACOUSTICALLY LINED RETURN AIR TRANSFER DUCT.

KEY NOTES - EIGHTH FLOOR DUCTWORK 01

1. THESE GENERAL NOTES PERTAIN TO BOTH DEMOLITION AND RENOVATION WORK AND APPLY TO ALL ELECTRICAL LIGHTING (EL) DRAWINGS IN THIS SET.

2. THERE IS NO ELECTRICAL LIGHTING WORK TO BE COMPLETED ON THE SIXTH FLOOR IN THE LEGAL STAFF AREA (AREA DOCUMENTED ON DRAWING A2.01). HENCE, THAT AREA IS NOT SHOWN ON THE 'EL' DRAWINGS.

3. GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS CONTRACTORS AND SUB-CONTRACTORS.

4. "A" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M" AND "E" SERIES DRAWINGS.

5. REFER TO THE "AS" SERIES DRAWINGS, REFLECTED CEILING PLANS, FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS AND FOR COORDINATION WITH THE ELECTRICAL POWER WORK.

6. EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.

GENERAL NOTES FOR BASEMENT FLOOR LIGHTING (COPIED FROM ORIGINAL CONSTRUCTION DOCUMENTS)

- NORMAL LIGHTING ON BASEMENT FLOOR, PART B, IS CIRCUITED TO PANEL LG1, U.N.O.
- EMERGENCY LIGHTING CIRCUITING AS INDICATED ON FLOOR PLAN, U.N.O.
- LIGHTING FIXTURES FOR STAIR TOWERS ARE CIRCUITED TO PANELS AS INDICATED, U.N.O.

GENERAL NOTES - EIGHTH FLOOR DUCTWORK 00

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.258.1165 F 717.754.0558

WORK AREA 3
 8TH FLOOR
 U.S. STAIRS &
 CHIEF JUSTICE

BUILDING NORTH
 PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
MECHANICAL DUCTWORK COMBINATION DEMOLITION/RENOVATION EIGHTH FLOOR PLAN CHIEF JUSTICE SUITE


SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUN
CHECKED	D. VOZAK
APPROVED	D. VOZAK
DATE	05.15.2018 BID DRAWINGS

REVISIONS

NUMBER	DATE	DESCRIPTION

DRAWING

M2.02



SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - NEW CONSTRUCTION WORK **02**

THE FOLLOWING KEY NOTES REFER TO THE FIRE PROTECTION RENOVATION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 09/FP2.00 AT LEFT FOR KEY NOTE LOCATIONS. REFER TO DRAWINGS A2.00A/B FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

HYDRAULIC - SYSTEM
This building is protected by a Hydraulically Designed Automatic Sprinkler System.

Location SECOND FLOOR ZONE No. 8 | REMOTE No. 2

No. of Sprinklers	20
1. DENSITY	0.10 GPM/80. FT.
2. DESIGNED AREA OF DISCHARGE	1529 SQ. FT.
System Demand	
1. GPM DISCHARGE	744.8 GPM
2. RESIDUAL PRESSURE AT THE BASE OF THE RISER	125.3 PSI
Building Information	
1. OCCUPANCY CLASSIFICATION	LIGHT HAZARD
2. COMMODITY CLASSIFICATION	N/A
3. MAXIMUM STORAGE HEIGHT	N/A

SCALE NONE **GENERAL NOTES FOR SECOND FLOOR RENOVATION 01**

THE FOLLOWING KEY NOTES REFER TO THE FIRE PROTECTION DEMOLITION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 09/FP2.00 AT LEFT FOR KEY NOTE LOCATIONS. REFER TO DRAWINGS A2.00A/B FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

NO FIRE PROTECTION WORK TO OCCUR WITHIN THIS SPACE.

REMOVE LINE PIPING AND SPRINKLER HEAD. SPRINKLER HEAD TO BE SAVED FOR RE-INSTALLATION IN NEW LOCATION.

SCALE NONE **GENERAL NOTES FOR SECOND FLOOR DEMOLITION 07**

TYPICAL HANGER ASSEMBLIES BY NUMBER

1. TOP BEAM CLAMP, ROD, RING	10. SWG-20 SAMMY, ROD, RING
2. TRAPEZE	11. RISER CLAMP
3. NUTS, WASHERS, ROD, RING	12. RETAINING STRAP, LAG SCREW
4. DROP IN ANCHOR, ROD, RING	13. STRUT NUT, ROD, RING
5. DROP IN ANCHOR, EYE SOCKET.	14. ANGLE CLIP, NUT, ROD, RING
6. BOLT, RING	15. PURLIN CLAMP, ROD, RING
7. POWDER DRIVEN STUD, CP/LG, ROD, RING	16. DSTR.75 SAMMY, ROD, RING
8. CTS-20 SAMMY, ROD, RING	17. SWDR.516 SAMMY, ROD, RING
9. CTS-20 SAMMY, ROD, RING	18. SWDR.516 SAMMY, ROD, RING

SCALE NONE **TYPICAL HANGER ASSEMBLIES BY NUMBER 0F**

MATERIAL SPECIFICATIONS

Note: 1" Pipe is Sch 40 A53 (uno)	GRID/GRID	GRID/GRID	MAIN LINES	SUPPLY THE FOLLOWING	Yr/No
Sch 40 A53 Black				American Made (Domestic)	
Sch 10 Thinwall				Grv-Loxk Fittings	
Sch 7				Grv-Loxk Couplings	
Sch 40 Galvanized				Firelock Fittings	
Sch 10 Galvanized				Firelock Couplings	
Weld-0-Lets Tard				Standard Vic/Central P/te	
Weld-0-Lets Grv				Head Wrenches	
Weld-0-Lets Buff				Spare Head Cabinet	
Cast Iron Fittings				Top Beam Clamps	
Galvanized Fittings				Concrete Inserts	
Malleable P/te 150#				Sammy Screws	
Malleable P/te 300#				Strut/Angle Iron	
Cops				Can Heads be any brand?	
Number of Welds				P/te Fittings	
Cut Lengths				Hangers Cut Length	
Center to Center				Hangers Center to Center	
				PM Approved Material Only	

SCALE NONE **MATERIAL SPECIFICATIONS 0E**

FIRE PROTECTION SPECIFICATIONS

- DO NOT SCALE DRAWING(S).
- ALL PIPE NOTED AS:
GC = GROOVED END TO CENTER;
GG = GROOVED END TO GROOVED END;
INDICATES ACTUAL PIPE "CUT" LENGTHS (U.N.O.).
- DESIGN, INSTALLATION, AND MATERIALS TO BE
- HANGERS AND ATTACHMENTS TO BE U.L. LISTED AND SPACING PER NFPA 13.
- ALL NEW PIPING SHALL BE HYDROSTATICALLY TESTED AT 200 PSI FOR 2 HOURS WITH NO
- OWNER SHALL PROVIDE A MINIMUM OF 40FF TO PREVENT SPRINKLER PIPE FROM FREEZING.
- CONTRACTOR SHALL PROVIDE THE OWNER, INSURANCE COMPANY, AND THE PROPER CITY OFFICIALS WITH COPIES OF THE MATERIAL AND TEST CERTIFICATES.
- ALL FLOW AND TAMPERS SHALL BE SUPERVISED IN ACCORDANCE WITH NFPA 72. THIS WORK IS TO BE DONE BY OTHERS AND IS NOT PART OF THE S.A. COMMUNALE CONTRACT (FOR ORIGINAL CONSTRUCTION).

SCALE NONE **FIRE PROTECTION SPECIFICATIONS 0D**

SPRINKLER LEGEND

SYMBOL	QTY.	DESCRIPTION	SIN#	TRD	K	TEMP
	80	1" TYP. SPRINK. RND. WHITE OR CONCEALED PENDENT	1730311		1.6	157
	12	1" TYP. SPRINK. END. WHITE OR FAT CON. CONCEALED PEND.	1730222		1.6	157
	40	1" TYP. SPRINK. 1" FIB. OR CHROME UPRIGHT	1731311		1.6	157
	0/2A	1" TYP. SPRINK. 1" FIB. OR CHROME PENDENT	1731312		1.6	157
	0/2A	1" TYP. SPRINK. 1" FIB. OR CHROME HORIZONTAL SIDEWALL	1731313		1.6	157
	0/2A	1" TYP. SPRINK. 1" FIB. OR CHROME HORIZONTAL	1731314		1.6	157
	2	1" TYP. SPRINK. 1" FIB. OR CHROME UPRIGHT	1731315		1.6	157
	2	1" TYP. SPRINK. 1" FIB. OR CHROME UPRIGHT	1731316		1.6	157
	2	1" TYP. SPRINK. 1" FIB. OR CHROME UPRIGHT	1731317		1.6	157
	2	1" TYP. SPRINK. 1" FIB. OR CHROME UPRIGHT	1731318		1.6	157
	157	TOTAL SPRINKLERS THIS DRAWING				
		TOTAL SPRINKLERS ON ENTIRE PROJECT				

SCALE NONE **SPRINKLER LEGEND 0C**

STANDARD DRAWING SYMBOLS

5	FIRE HOSE VALVE
	FIRE HYDRANT
	ELECTRIC BELL
	RISER
	FLOW SWITCH
	FIRE DEPARTMENT CONNECTION
	AUXILIARY DRAIN
	PRESSURE GAUGE

SCALE NONE **STANDARD DRAWING SYMBOLS 0B**

1. REFER DETAIL 01A2.01 FOR THE GENERAL NOTES COVERING ALL DEMOLITION WORK.

2. REFER TO THE "A2" SERIES DRAWINGS FOR INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THIS CONTRACT. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AND BETWEEN THE VARIOUS CONTRACTORS.

3. REFER TO THE "A6" SERIES REFLECTED CEILING PLAN DRAWINGS FOR INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK FOR THE CEILINGS.

4. DETAILS 0B THRU OF ON DRAWING FP2.02 WERE COPIED FROM THE RECORD DRAWINGS FOR THE ORIGINAL CONSTRUCTION OF THE PENNSYLVANIA JUDICIAL CENTER.

5. EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.

SCALE NONE **FIRE PROTECTION DEMOLITION AND RENOVATION GENERAL NOTES 0A**

VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729
SUITE 100 | 2505 NORTH FRONT STREET
HARRISBURG, PA 17110
717.258.1165 F 717.754.0558

WORK AREA 1 THE FLOOR SECURITY STAIR
WORK AREA 3 8TH FLOOR U.S. STAIRS & CHIEF JUSTICE

BUILDING NORTH

PENNSYLVANIA JUDICIAL CENTER
PROFESSIONAL'S SEAL

PROJECT 4613.0671
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
© 2018 VITETTA

PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
AT THE
PENNSYLVANIA JUDICIAL CENTER
601 COMMONWEALTH AVENUE
HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
FOR THE
ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
FIRE PROTECTION COMBINATION DEMOLITION/RENOVATION SECOND FLOOR PLAN JUDICIAL SECURITY SUITE


SCALE 1/4" = 1'-0" OR AS NOTED

DRAWN J. JOHN
CHECKED D. VOZDZAK
APPROVED D. VOZDZAK
DATE 05.15.2018 | BID DRAWINGS

REVISIONS
NUMBER DATE DESCRIPTION

DRAWING

FP2.00



SCALE NONE NOT USED **08**

SCALE NONE NOT USED **05**

SCALE NONE NOT USED **07**

SCALE NONE NOT USED **04**

SCALE NONE NOT USED **06**


SCALE NONE NOT USED **03**

TYPICAL HANGER ASSEMBLIES BY NUMBER		
1	TOP BEAM CLAMP, ROD, RING	10 SWG-20 SAMMY, ROD, RING
2		11
3	TRAPEZE	12 RETAINING STRAP, LAG SCREW
4	NUTS, WASHERS, ROD, RING	13 RISER CLAMP
5	DROP IN ANCHOR, ROD, RING	14 STRUT NUT, ROD, RING
6	DROP IN ANCHOR, EYE SOCKET, BOLT, RING	15 ANGLE CLIP, NUT, ROD, RING
7	POWDER DRIVEN STUD, CPLG, ROD, RING	16 PURLIN CLAMP, ROD, RING
8	CTS-20 SAMMY, ROD, RING	17 DSTR.75 SAMMY, ROD, RING
9	GTS-20 SAMMY, ROD, RING	18 SWDR .516 SAMMY, ROD, RING

SCALE NONE TYPICAL HANGER ASSEMBLIES BY NUMBER **0F**

MATERIAL SPECIFICATIONS		
Note: 1" Pipe is Sch 40 A53 (uno)	GRID/DRILL MAIN LINES	GRID/DRILL MAIN LINES
Sch 40 A53 Black		
Sch 10 Thinwall		
Sch 40 Galvanized		
Sch 10 Galvanized		
Weld-O-Lets Thrd		
Weld-O-Lets Grv		
Cast Iron Fittings		
Galvanized Fittings		
Malleable Flgs 150#		
Malleable Flgs 300#		
Cpvc		
Number of Welds		
Cut Lengths		
Center to Center		

SCALE NONE MATERIAL SPECIFICATIONS **0E**



HYDRAULIC - SYSTEM

This building is protected by a Hydraulically Designed Automatic Sprinkler System.

Location: EIGHTH FLOOR ZONE No.14 | REMOTE No.2

No. of Sprinklers: 13

1. DENSITY: 0.10 GPM/100 SQ. FT.

2. DESIGNED AREA OF DISCHARGE: 1614 SQ. FT.

System Demand:

1. GPM DISCHARGE: 735.55 GPM

2. RESIDUAL PRESSURE AT THE BASE OF THE RISER: 174.63 PSI

Building Information:

1. OCCUPANCY CLASSIFICATION: LIGHT HAZARD

2. COMMODITY CLASSIFICATION: N/A

3. MAXIMUM STORAGE HEIGHT: N/A

- THE FOLLOWING KEY NOTES REFER TO THE FIRE PROTECTION RENOVATION WORK TO OCCUR ON THE EIGHTH FLOOR. REFER TO DETAIL 07/FP2.02 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.02 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.
- (00) NO FIRE PROTECTION (SPRINKLER) WORK IN THIS AREA.
 - (01) PROVIDE AND INSTALL NEW SPRINKLER HEAD AND LINE PIPING. PRESERVE AND PROTECT EXISTING SYSTEMS AND FINISHES DURING CONSTRUCTION ACTIVITIES.

SCALE 1/4" = 1'-0" KEY NOTES - SPRINKLERS **01**

- ### FIRE PROTECTION SPECIFICATIONS
- DO NOT SCALE DRAWING(S).
 - ALL PIPE NOTED AS:
GC = GROOVED END TO CENTER;
GG = GROOVED END TO GROOVED END;
INDICATES ACTUAL PIPE "CUT" LENGTHS (U.N.O.).
 - DESIGN, INSTALLATION, AND MATERIALS TO BE HANGERS AND ATTACHMENTS TO BE U.L. LISTED AND SPACING PER NFPA 13.
 - ALL NEW PIPING SHALL BE HYDROSTATICALLY TESTED AT 200 PSI FOR 2 HOURS WITH NO LEAKS.
 - OWNER SHALL PROVIDE A MINIMUM OF 40°F TO PREVENT SPRINKLER PIPE FROM FREEZING.
 - CONTRACTOR SHALL PROVIDE THE OWNER, INSURANCE COMPANY, AND THE PROPER CITY OFFICIALS WITH COPIES OF THE MATERIAL AND TEST CERTIFICATES.
 - ALL FLOW AND TAMPERS SHALL BE SUPERVISED IN ACCORDANCE WITH NFPA 72. THIS WORK IS TO BE DONE BY OTHERS AND IS NOT PART OF THE S.A. COMMUNALE CONTRACT (FOR ORIGINAL CONSTRUCTION).

SCALE NONE FIRE PROTECTION SPECIFICATIONS **0D**

SCALE NONE PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - FIRE PROTECTION (SPRINKLERS) **02**

SPRINKLER LEGEND			
SYMBOL	QTY.	DESCRIPTION	SYNH THD KE TEMP
(Symbol)	61	2"X2" SERIES RED WIRE OR CONCEALED PENDENT	175/57 1/2" 150
(Symbol)	12	2"X2" WIRE RED WIRE OR EXT LOW CONCEALED PEND	175/57 1/2" 150
(Symbol)	49	2"X2" SERIES 1" FRS OR CHROME UPRIGHT	175/172 1/2" 150
(Symbol)	67	2"X2" SERIES 1" FRS OR CHROME PENDENT	175/172 1/2" 150
(Symbol)	30	2"X2" SERIES 1" FRS OR CHROME HORIZONTAL SPERIAL	175/172 1/2" 150
(Symbol)	1	2"X2" SERIES 1" FRS OR CHROME UPRIGHT	175/172 1/2" 150
(Symbol)	1	2"X2" OR 2" OR 2" W/RY WHITE RELEASED EXT LOW PENDENT	175/172 1/2" 150
TOTAL SPRINKLERS THIS DRAWING		TOTAL SPRINKLERS ON ENTIRE PROJECT	

SCALE NONE SPRINKLER LEGEND **0C**

STANDARD DRAWING SYMBOLS	
(Symbol)	FIRE HOSE VALVE
(Symbol)	FIRE HYDRANT
(Symbol)	ELECTRIC BELL
(Symbol)	RISER
(Symbol)	FLOW SWITCH
(Symbol)	FIRE DEPARTMENT CONNECTION
(Symbol)	AUXILIARY DRAIN
(Symbol)	PRESSURE GAUGE

SCALE NONE STANDARD DRAWING SYMBOLS **0B**

VITETTA

ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.258.1105 F 717.754.0558

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA
 PROJECT TITLE

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
FIRE PROTECTION COMBINATION DEMOLITION/RENOVATION EIGHTH FLOOR PLAN CHIEF JUSTICE SUITE

SCALE 1/4" = 1'-0" OR AS NOTED

DRAWN J. JOHN

CHECKED D. VOZDZAK

APPROVED D. VOZDZAK


DATE 05.15.2018 | BID DRAWINGS

REVISIONS


NUMBER	DATE	DESCRIPTION

DRAWING

FP2.02



PENNSYLVANIA JUDICIAL CENTER
PROFESSIONAL'S SEAL



PROJECT 4613.0671
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR
AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES
BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
© 2018 VITETTA

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
AT THE
PENNSYLVANIA JUDICIAL CENTER
601 COMMONWEALTH AVENUE
HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
FOR THE
ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
ELECTRICAL
LIGHT FIXTURE SCHEDULE
AND
PANEL SCHEDULES

SCALE 1/4" = 1'-0" OR AS NOTED
DRAWN J. JOUIN
CHECKED D. VODZAK
APPROVED D. VODZAK
DATE 05.15.2018 | BID DRAWINGS

REVISIONS table with columns for NUMBER, DATE, and DESCRIPTION.

DRAWING

E1.01

SCALE NONE
SCALE NONE
NOT USED 10
SCALE NONE
SCALE NONE
NOT USED 07

SCALE NONE
SCALE NONE
NOT USED 09
SCALE NONE
SCALE NONE
NOT USED 06

SCALE NONE
SCALE NONE
NOT USED 08
SCALE NONE
SCALE NONE
NOT USED 05


RECEPTACLE PANEL R2B1 table with columns: CKT NO, CIRCUIT DESCRIPTION, MINIMUM WIRE SIZE, CIRCUIT BREAKER, PHASE, CONN. LOAD, CIRCUIT BREAKER, MINIMUM WIRE SIZE, CIRCUIT DESCRIPTION, CKT NO. Includes remarks for lighting, receptacles, heating, and miscellaneous loads.

COMPUTER PANEL (DOUBLE PANEL SECTION 1) C2B1 table with columns: CKT NO, CIRCUIT DESCRIPTION, MINIMUM WIRE SIZE, CIRCUIT BREAKER, PHASE, CONN. LOAD, CIRCUIT BREAKER, MINIMUM WIRE SIZE, CIRCUIT DESCRIPTION, CKT NO. Includes remarks for double capacity neutral bus and feed-thru lugs.

COMPUTER PANEL (DOUBLE PANEL SECTION 2) C2B1 table with columns: CKT NO, CIRCUIT DESCRIPTION, MINIMUM WIRE SIZE, CIRCUIT BREAKER, PHASE, CONN. LOAD, CIRCUIT BREAKER, MINIMUM WIRE SIZE, CIRCUIT DESCRIPTION, CKT NO. Includes remarks for double capacity neutral bus and lighting, receptacles, heating, and miscellaneous loads.

SCALE NONE
SCALE NONE
ELECTRICAL PANEL R2B1 FOR SECOND FLOOR RENOVATIONS 04
SCALE NONE
SCALE NONE
NOT USED 02

ELECTRICAL PANEL C2B1 FOR SECOND FLOOR RENOVATIONS 03
SCALE NONE
SCALE NONE
INTERIOR LIGHTING FIXTURE SCHEDULE
LISTED MANUFACTURER IS BASIS-OF-DESIGN; OTHERS MAY BE ACCEPTABLE IF APPROVED BY PROFESSIONAL.
LAMP TYPE: HPS = HIGH PRESSURE SODIUM, LPS = LOW PRESSURE SODIUM, MH = METAL HALIDE, MV = MERCURY VAPOR, F = FLUORESCENT, CFL = COMPACT FLUORESCENT, H = HALOGEN, LED = LIGHT EMITTING DIODE, I = INCANDESCENT.
TYPE | GENERAL DESCRIPTION | MFR / CATALOG NUMBER OR EQUAL | MOUNTING | VOLTS | TYPE | LAMPS | (QTY)/BALLAST TYPE | LOCATION TYPE & REMARKS
A1 | SUSPENDED MOUNTED INDIRECT LINEAR FLUORESCENT WITH PERFORATED HOUSING 4'-0" LENGTH | LITECONTROL P-1-98PF-2-4-19-ELB10-1CW0-277 | PENDANT | 277V | FL | (2) F32W T8 3500 KELVIN 3100 LUMENS | (1) HIGH OUTPUT ELECTRONIC BALLAST TO MATCH LAMPS | WORK AREAS | TOWER | CORRIDORS EXISTING FIXTURES TO REMAIN, RELOCATE, AND/OR MATCH WITH NEW.
A2 | SAME AS TYPE A1 EXCEPT 8'-0" LENGTH | LITECONTROL P-1-98PF-2-8-18-ELB10-1CW0-277 | PENDANT | 277V | FL | (4) F32W T8 3500 KELVIN 3100 LUMENS | (1) HIGH OUTPUT ELECTRONIC BALLAST TO MATCH LAMPS | WORK AREAS | TOWER | CORRIDORS EXISTING FIXTURES TO REMAIN, RELOCATE, AND/OR MATCH WITH NEW.
SCALE NONE
SCALE NONE
INTERIOR LIGHTING FIXTURE SCHEDULE 01



SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - NEW CONSTRUCTION WORK **02**

SCALE NONE NOT USED **04**

SCALE NONE NOT USED **03**

SCALE NONE KEY NOTES FOR SECOND FLOOR ELECTRICAL LIGHTING DEMOLITION & RENOVATION **01**

GENERAL NOTES FOR SECOND FLOOR LIGHTING (COPIED FROM ORIGINAL CONSTRUCTION DOCUMENTS)

- NORMAL LIGHTING ON SECOND FLOOR, PART B, IS CIRCUITED TO PANEL L8B1, U.N.O.
- EMERGENCY LIGHTING CIRCUITING AS INDICATED ON FLOOR PLAN, U.N.O.
- LIGHTING FIXTURES FOR STAIR TOWERS ARE CIRCUITED TO PANELS AS INDICATED, U.N.O.
- EMERGENCY AND NORMAL INCANDESCENT LIGHTING CIRCUITING AS INDICATED ON PLAN, U.N.O.

KEY NOTES FOR SECOND FLOOR LIGHTING DEMOLITION AND RENOVATION WORK

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL LIGHTING CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 05EL2.00 AT LEFT FOR KEY NOTE LOCATIONS. REFER TO DRAWINGS A2.00A AND A2.00B FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

- NO ELECTRICAL LIGHTING WORK IN THIS AREA.
- EXISTING LIGHT FIXTURE TO REMAIN.
- RELOCATE EXISTING LIGHT FIXTURE. RECONNECT TO EXISTING CIRCUIT AND CONTROL SWITCH.
- EXISTING LIGHT SWITCHES TO REMAIN.
- RELOCATE EXISTING LIGHT FIXTURE. CONNECT TO EXISTING POWER CIRCUIT. PROVIDE NEW OCCUPANCY SENSOR WITH WALL-MOUNTED MANUAL OVERRIDE SWITCH.
- RELOCATE EXISTING LIGHT FIXTURE. CIRCUIT TO "b" CONTROL SWITCH.
- INSTALL LIGHT FIXTURES SALVAGED FROM SIXTH FLOOR. PROVIDE NEW OCCUPANCY SENSOR WITH WALL-MOUNTED MANUAL OVERRIDE SWITCH.
- EXISTING EXIT SIGN FIXTURE TO REMAIN.
- REMOVE EXISTING OCCUPANCY SENSOR. TURN OVER TO AOPC FOR ADDITION TO THEIR ATTIC STOCK.
- EXISTING OCCUPANCY SENSOR TO REMAIN.

SCALE NONE KEY NOTES FOR SECOND FLOOR ELECTRICAL LIGHTING DEMOLITION AND RENOVATION GENERAL NOTES **00**

- THESE GENERAL NOTES, WHICH PERTAIN TO BOTH DEMOLITION AND RENOVATION WORK, APPLY TO ALL OF THE CONTRACT ELECTRICAL LIGHTING (EL) DRAWINGS IN THIS SET.
- THERE IS NO ELECTRICAL LIGHTING WORK TO BE COMPLETED ON THE SIXTH FLOOR IN THE LEGAL STAFF AREA (AREA DOCUMENTED IN DETAILS 04/A2.045 AND 06/A2.04). HENCE THAT AREA IS NOT SHOWN ON THE "ET" DRAWINGS.
- THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS CONTRACTORS AND SUB-CONTRACTORS.
- THE "A2" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL, PLUMBING, AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M2", "P2", "FP2", "EL2", "EP2", AND "ET2" SERIES DRAWINGS.
- REFER TO THE "AP" SERIES REFLECTED CEILING PLAN DRAWINGS FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS AND FOR COORDINATION WITH THE ELECTRICAL POWER WORK.
- EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 BALDWIN TOWER 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 717.258.1105 F 717.754.0558

PENNSYLVANIA JUDICIAL CENTER
 BUILDING NORTH
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
 ELECTRICAL LIGHTING
 COMBINATION
 DEMOLITION/RENOVATION
 SECOND FLOOR PLAN
 JUDICIAL SECURITY SUITE

SCALE 1/4" = 1'-0" OR AS NOTED


DRAWN	J. JOUN
CHECKED	D. VOZZAK
APPROVED	D. VOZZAK
DATE	05.15.2018 BID DRAWINGS

REVISIONS

NUMBER	DATE	DESCRIPTION

DRAWING

EL2.00




SCALE 1/4" = 1'-0" PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - LIGHTING DEMO & RENO 04

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL LIGHTING CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE EIGHTH FLOOR. REFER TO DETAIL 02/EL2.01 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.02 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION WORK.

- 00 NO ELECTRICAL LIGHTING CONSTRUCTION WORK IN THIS AREA.
- 01 EXISTING LIGHT FIXTURE TO REMAIN.
- 02 RELOCATE EXISTING LIGHT FIXTURE, EXTEND CONDUIT, AND PROVIDE NEW CONDUIT AND WIRE AS REQUIRED FOR FIXTURE RELOCATION.
- 03 REMOVE EXISTING LIGHT FIXTURE AND TURN OVER TO AOPC FOR ADDITION TO ATTIC STOCK.
- 04 EXISTING CEILING-MOUNTED EXIT SIGN TO REMAIN.
- 05 RELOCATED EXISTING LIGHT FIXTURE. CONNECT AND WIRE TO WEST END OF EXISTING A2 LIGHT FIXTURE.
- 06 REMOVE EXISTING LIGHT FIXTURE AND RELOCATE PER KEY NOTE 05.
- 07 PROVIDE AND INSTALL NEW LIGHT FIXTURE TYPE A1. CONNECT AND WIRE TO WEST END OF EXISTING A2 LIGHT FIXTURE. REFER TO DETAIL 01/E1.01 FOR LIGHTING FIXTURE SCHEDULE AND RELATED PANEL SCHEDULES.
- 08 RELOCATE LIGHT SWITCHES.

SCALE NONE KEY NOTES - EIGHTH FLOOR LIGHTING DEMO & RENO 03



SCALE 1/4" = 1'-0" PARTIAL SIXTH FLOOR PLAN - NEW DEPARTMENTAL DIVIDING WALL - LIGHTING DEMO & RENO 02

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL LIGHTING CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE SIXTH FLOOR. REFER TO DETAIL 02/EL2.01 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.01 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

- 00 NO ELECTRICAL LIGHTING CONSTRUCTION WORK IN THIS AREA.
- 01 EXISTING 3-WAY LIGHT SWITCH TO REMAIN. RE-CIRCUIT CONTROLLED LIGHT FIXTURES AS INDICATED.
- 02 PROVIDE NEW 3-WAY LIGHT SWITCH. RE-CIRCUIT CONTROLLED LIGHT FIXTURES AS INDICATED.
- 03 RE-CIRCUIT LIGHT FIXTURE CONTROL TO 3-WAY LIGHT SWITCH AS INDICATED.

SCALE NONE KEY NOTES - SIXTH FLOOR LIGHTING DEMO & RENO 01

1. THESE GENERAL NOTES PERTAIN TO BOTH DEMOLITION AND RENOVATION WORK AND APPLY TO ALL ELECTRICAL LIGHTING (EL) DRAWINGS IN THIS SET.

2. THERE IS NO ELECTRICAL LIGHTING WORK TO BE COMPLETED ON THE SIXTH FLOOR IN THE LEGAL STAFF AREA (AREA DOCUMENTED ON DRAWING A2.01); HENCE, THAT AREA IS NOT SHOWN ON THE "EL" DRAWINGS.

3. GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS CONTRACTORS AND SUB-CONTRACTORS.

4. "A" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M" AND "E" SERIES DRAWINGS.


5. REFER TO THE "A6" SERIES DRAWINGS, REFLECTED CEILING PLANS, FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS AND FOR COORDINATION WITH THE ELECTRICAL POWER WORK.

6. EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.

GENERAL NOTES FOR BASEMENT FLOOR LIGHTING (COPIED FROM ORIGINAL CONSTRUCTION DOCUMENTS)

1. NORMAL LIGHTING ON BASEMENT FLOOR, PART B, IS CIRCUITED TO PANEL LG1, U.N.O.
2. EMERGENCY LIGHTING CIRCUITING AS INDICATED ON FLOOR PLAN U.N.O.
3. LIGHTING FIXTURES FOR STAIR TOWERS ARE CIRCUITED TO PANELS AS INDICATED, U.N.O.

SCALE NONE GENERAL NOTES - SIXTH & EIGHTH FLOOR - LIGHTING DEMOLITION AND RENOVATION 00




PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL
 PROJECT TITLE
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
**ELECTRICAL LIGHTING
 COMBINATION
 DEMOLITION/RENOVATION
 SIXTH & EIGHTH
 FLOOR PLANS**

SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUN
CHECKED	D. VODZAK
APPROVED	D. VODZAK
DATE	05.15.2018 BID DRAWINGS
REVISIONS	NUMBER DATE DESCRIPTION



SCALE 1/4" = 1'-0" PARTIAL SECOND FLOOR PLAN - NEW AOPC SECURITY STAFF SUITE - NEW CONSTRUCTION WORK **02**

SCALE NONE NOT USED **04**

SCALE NONE NOT USED **03**

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL POWER CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAILS 02EP2.00 FOR KEY NOTE LOCATIONS. REFER TO DRAWINGS A2.00D AND A2.00R FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION WORK.

- 01 NO ELECTRICAL POWER CONSTRUCTION IN THIS AREA.
- 02 EXISTING 120V RECEPTACLE TO REMAIN.
- 03 REMOVE EXISTING 120V RECEPTACLE, BOX, AND CONDUIT TO ABOVE CEILING. PULL WIRE FROM ANY REMAINING CONDUIT BACK TO NEXT DEVICE.
- 04 REMOVE EXISTING 120V QUAD RECEPTACLE. PROVIDE NEW 120V GFI DUPLEX RECEPTACLE WITH DUPLEX/BLANK STAINLESS STEEL COVER PLATE.
- 05 RELOCATE EXISTING SYSTEMS FURNITURE POWER FEED J-BOX. EXTEND CONDUIT AND PROVIDE NEW WIRE AS REQUIRED. RECONNECT TO MODIFIED FURNITURE PANELS.
- 06 EXISTING FLOOR BOX POWER FEED TO SYSTEMS FURNITURE. REVISE CONNECTION AND RECONNECT TO RECONFIGURED SYSTEMS FURNITURE.
- 07 PROVIDE NEW 120V DUPLEX RECEPTACLE.
- 08 PROVIDE NEW 120V QUAD RECEPTACLE.
- 09 REMOVE RECEPTACLE AND PROVIDE INACTIVE COVER FOR FLOOR BOX.
- 10 DISCONNECT, RELOCATE, AND RECONNECT 120V RECEPTACLES LOCATED IN SYSTEMS FURNITURE.
- 11 DISCONNECT WALL FEED TO SYSTEMS FURNITURE AND PROVIDE BLANK COVER PLATE.
- 12 PROVIDE NEW 120V DUPLEX RECEPTACLE. MOUNT WITH CENTER AT 66" ABOVE FINISHED FLOOR.

SCALE NONE KEY NOTES FOR ELECTRICAL POWER WORK **01**

1. THESE GENERAL NOTES, WHICH PERTAIN TO BOTH DEMOLITION AND RENOVATION WORK, APPLY TO ALL OF THE CONTRACT ELECTRICAL POWER (EP) DRAWINGS IN THIS SET.
2. REFER TO DETAIL 02EP2.01 FOR KEY NOTES COVERING BOTH DEMOLITION AND RENOVATION ELECTRICAL POWER WORK INDICATED ON THE DRAWINGS SHOWN ON THIS SHEET.
3. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS CONTRACTORS AND SUB-CONTRACTORS.
4. THE "A2" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL, PLUMBING, AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M2", "P2", "FP2", "EL2", "EP2", AND "ET2" SERIES DRAWINGS.
5. REFER TO THE "AP" SERIES, REFLECTED CEILING PLAN, DRAWINGS FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS AND FOR COORDINATION WITH THE ELECTRICAL POWER WORK.
6. EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.

SCALE NONE GENERAL NOTES FOR ELECTRICAL POWER WORK **00**

VITETTA
 ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
 SUITE 104 | BALDWIN TOWER | 1510 CHESTER PIKE
 EDDYSTONE, PA 19022
 T 215.218.4747 F 215.405.2729
 SUITE 100 | 2505 NORTH FRONT STREET
 HARRISBURG, PA 17110
 T 717.258.1105 F 717.754.0558

WORK AREA 1
 THE FLOOR
 SECURITY STAFF

BUILDING NORTH
 PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

REGISTERED PROFESSIONAL ARCHITECT
CHRISTOPHER PITTMAN
 LICENSE NO. 121284
 PENNSYLVANIA

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
 ELECTRICAL POWER COMBINATION
 DEMOLITION/RENOVATION
 SECOND FLOOR PLAN
 JUDICIAL SECURITY SUITE

SCALE 1/4" = 1'-0" OR AS NOTED


DRAWN	J. JOUN
CHECKED	D. VOZDZAK
APPROVED	D. VOZDZAK
DATE	05.15.2018 BID DRAWINGS

REVISIONS

NUMBER	DATE	DESCRIPTION

DRAWING

EP2.00




SCALE 1/4" = 1'-0" PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - ELECTRICAL POWER DEMO & RENO 04

- THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL POWER CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE EIGHTH FLOOR. REFER TO DETAIL 04EP2.01 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.02 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMO AND RENO WORK.
- 01 NO ELECTRICAL POWER CONSTRUCTION IN THIS AREA.
 - 02 EXISTING 120V RECEPTACLE TO REMAIN.
 - 03 EXISTING POWER FEEDS FOR FAN-POWERED BOXES TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND RENOVATION ACTIVITIES.
 - 04 RELOCATE EXISTING SYSTEMS FURNITURE POWER FEED J-BOX FROM EAST PARTITION TO RELOCATED NORTH PARTITION. EXTEND CONDUIT AND PROVIDE NEW WIRE AS REQUIRED. RECONNECT TO MODIFIED FURNITURE PANELS.
 - 05 PROVIDE AND INSTALL NEW 120V DUPLEX RECEPTACLE.
 - 06 PROVIDE AND INSTALL NEW 120V QUAD RECEPTACLE.
 - 07 NEW 120V DUPLEX RECEPTACLE IN SYSTEMS FURNITURE RACEWAY. AOPC SHALL PROVIDE THE RECEPTACLE DEVICES TO THE ELECTRICAL CONTRACTOR FROM THEIR ATTIC STOCK. ELECTRICAL CONTRACTOR TO PROVIDE WIRING AND INSTALL CONNECT DEVICES.
 - 08 PROVIDE AND INSTALL NEW SYSTEMS FURNITURE POWER FEED J-BOX AND CONNECT WITH FLEXIBLE WHIP.

- 09 PROVIDE AND INSTALL NEW CONDUIT AND WIRE - (2) #12 + (1) #12G - FROM EXISTING CIRCUIT TO POWER SUPPLY. POWER SUPPLY TO BE FURNISHED BY THE GENERAL CONTRACTOR AND INSTALLED ABOVE THE ACCESSIBLE CEILING BY THE ELECTRICAL CONTRACTOR.
- 10 PROVIDE MC CABLE - (2) #18 + (1) #12G - AND CONNECT TO ELECTRICAL HINGE AND CARD READER. FISH CABLE THROUGH PARTITION AND DOOR FRAME.
- 11 LOCATION OF EXISTING J-BOX AND CIRCUIT FOR CARD READER POWER SUPPLIES.

SCALE NONE KEY NOTES - EIGHTH FLOOR - ELECTRICAL POWER DEMOLITION & RENOVATION 03



SCALE 1/4" = 1'-0" PARTIAL SIXTH FLOOR PLAN - DEPARTMENTAL DIVIDING WALL - ELECTRICAL POWER DEMO & RENO 02



THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL POWER CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE SIXTH FLOOR. REFER TO DETAIL 02EP2.01 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.01 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

- 01 NO ELECTRICAL POWER CONSTRUCTION IN THIS AREA.
- 02 EXISTING 120V RECEPTACLE TO REMAIN.
- 03 EXISTING POWER FEEDS FOR FAN-POWERED BOXES TO REMAIN. PRESERVE AND PROTECT DURING DEMOLITION AND RENOVATION ACTIVITIES.
- 04 NEW CARD READER. REFER TO KEY NOTES 05, 06, AND 07 FOR ADDITIONAL INFORMATION.
- 05 PROVIDE AND INSTALL NEW CONDUIT AND WIRE - (2) #12 + (1) #12G - FROM EXISTING CIRCUIT TO POWER SUPPLY. POWER SUPPLY TO BE FURNISHED BY THE GENERAL CONTRACTOR AND INSTALLED ABOVE THE ACCESSIBLE CEILING BY THE ELECTRICAL CONTRACTOR.
- 06 PROVIDE AND INSTALL NEW MC CABLE - (2) #18 + (1) #12G - AND CONNECT TO ELECTRICAL HINGE AND CARD READER. FISH CABLE THROUGH NEW PARTITION AND NEW DOOR FRAME.
- 07 LOCATION OF EXISTING J-BOX AND CIRCUIT FOR CARD READER POWER SUPPLIES.

SCALE NONE KEY NOTES - SIXTH FLOOR - ELECTRICAL POWER DEMOLITION & RENOVATION 01

1. THESE GENERAL NOTES PERTAIN TO BOTH DEMOLITION AND RENOVATION WORK AND APPLY TO ALL OF THE CONTRACT ELECTRICAL POWER (EP) DRAWINGS IN THIS SET.
2. GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS CONTRACTORS AND SUB-CONTRACTORS.
3. "A2" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M" AND "E" SERIES DRAWINGS.
4. REFER TO THE "A6" SERIES DRAWINGS, REFLECTED CEILING PLANS, FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS AND FOR COORDINATION WITH THE ELECTRICAL POWER WORK.
5. EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.
6. REFER TO DRAWING A2.03 FOR ADDITIONAL ELECTRICAL WORK REQUIRED IN CONJUNCTION WITH THE CARPET REPLACEMENT TO OCCUR THROUGHOUT THE EIGHTH FLOOR.

SCALE NONE GENERAL NOTES - ELECTRICAL POWER DEMOLITION & RENOVATION 00



PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA



MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
ELECTRICAL POWER COMBINATION DEMOLITION/RENOVATION SIXTH & EIGHTH FLOOR PLANS


SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUIN
CHECKED	D. VOZDZAK
APPROVED	D. VOZDZAK
DATE	05.15.2018 BID DRAWINGS

REVISIONS	NUMBER	DATE	DESCRIPTION


EP2.01



PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS



SCALE NONE NOT USED 04



SCALE NONE NOT USED 03

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL FIRE ALARM AND TECHNOLOGY SYSTEMS CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE SECOND FLOOR. REFER TO DETAIL 02/ET2.00 FOR KEY NOTE LOCATIONS. REFER TO DRAWINGS A2.01D AND A2.01R FOR RELATED ARCHITECTURAL GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

- (00) NO ELECTRICAL FIRE ALARM AND TECHNOLOGY SYSTEMS WORK TO OCCUR IN THIS SPACE.
- FIRE ALARM SYSTEM KEY NOTES**
- (F1) EXISTING CEILING-MOUNTED FIRE ALARM AUDIO-VISUAL WARNING DEVICE TO REMAIN.
 - (F2) RELOCATE EXISTING CEILING-MOUNTED FIRE ALARM AUDIO-VISUAL WARNING DEVICE. COORDINATE NEW LOCATION WITH LAYOUT OF NEW ACOUSTICAL PANEL CEILING.
 - (F3) PROVIDE NEW FIRE CEILING-MOUNTED ALARM AUDIO/VISUAL WARNING DEVICE MATCHING COMPONENTS OF EXISTING FIRE ALARM SYSTEM. PROVIDE CONDUIT AND CABLE AND INTEGRATE INTO EXISTING FIRE ALARM SYSTEM.
 - (F4) EXISTING WALL-MOUNTED FIRE ALARM VISUAL WARNING DEVICE TO REMAIN.
- TECHNOLOGY SYSTEM KEY NOTES**
- (T1) EXISTING DATA JACK TO REMAIN.
 - (T2) PROVIDE NEW DATA/VOICE JACK. TERMINATE CABLE IN AOPC PATCH PANEL IN IDF DATA/COMM B207.
 - (T3) REMOVE POKE-THRU FLOOR BOX. PULL CABLE OUT OF SYSTEMS FURNITURE RACEWAYS. SPOOL DATA CABLE ABOVE FIRST FLOOR CEILING AND LABEL. FILL FLOOR OPENING WITH GROUT.
 - (T4) EXISTING DATA JACK LOCATION. REINSTALL JACKS IN RECONFIGURED SYSTEM FURNITURE. RE-ROUTE DATA CABLE THROUGH RECONFIGURED SYSTEMS FURNITURE PANELS AND CONNECT TO RELOCATED DATA JACKS.
 - (T5) NEW LOCATION FOR EXISTING DATA JACK. RE-ROUTE EXISTING DATA CABLE THROUGH RECONFIGURED SYSTEMS FURNITURE PANELS AND CONNECT TO RELOCATED DATA JACKS. PROVIDE NEW DATA JACKS AS REQUIRED. RE-LABEL CABLES AT DATA PATCH PANEL LOCATED IN IDF/DATA B2.07. SPOOL ALL UNUSED CABLE IN CEILING PLENUM BELOW. TURN OVER UNUSED DATA JACKS TO THE AOPC FOR ADDITION TO ATTIC STOCK.
 - (T6) NOT USED.
 - (T7) EXISTING POKE-THRU FLOOR BOX TO BE ABANDONED IN PLACE. PROVIDE STAINLESS STEEL BLANK COVER PLATE. SPOOL ALL UNUSED CABLE IN CEILING PLENUM BELOW AND LABEL.
 - (T8) EXISTING POKE-THRU FLOOR BOX TO REMAIN.
 - (T9) PROVIDE AND INSTALL ROUGH-IN BOX FOR CCTV CAMERA AND CAT6 CABLE TO IDF DATA/COMM B207. CAMERA AND CONNECTIONS TO BE PROVIDED BY DGS VIA THE AOPC.
 - (T9) PROVIDE NEW DATA JACK. TERMINATE CABLE IN AOPC PATCH PANEL IN IDF DATA/COMM B207. PROVIDE NEW TV JACK WITH COAXIAL CABLE TO CABLE TV DISTRIBUTION PANEL IN IDF DATA/COMM B207.

SCALE NONE KEY NOTES FOR ELECTRICAL FIRE ALARM/TECHNOLOGY DEMOLITION AND RENOVATION WORK ON THE SECOND FLOOR 01

1. THESE GENERAL NOTES, WHICH PERTAIN TO BOTH DEMOLITION AND RENOVATION WORK, APPLY TO ALL OF THE CONTRACT ELECTRICAL FIRE ALARM AND TECHNOLOGY (ET) DRAWINGS IN THIS SET.
2. FURNITURE, FURNISHINGS, AND EQUIPMENT (FFE) SHOWN ON FIRE ALARM AND TECHNOLOGY DRAWING ET2.00 ARE FOR REFERENCE ONLY; FFE LOCATIONS ARE SUBJECT TO CHANGE.
3. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS CONTRACTORS AND SUB-CONTRACTORS.
4. THE "A2" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M" AND "E" SERIES DRAWINGS.
5. REFER TO THE "A8" SERIES, REFLECTED CEILING PLAN, DRAWINGS FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS.
6. EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.

SCALE NONE GENERAL NOTES FOR ELECTRICAL FIRE ALARM/TECHNOLOGY DEMOLITION AND RENOVATION WORK ON THE SECOND FLOOR 00

DRAWING TITLE


ELECTRICAL FIRE ALARM/TECHNOLOGY COMBINATION DEMOLITION/RENOVATION SECOND FLOOR JUDICIAL SECURITY SUITE

SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUN
CHECKED	D. VOZDZAK
APPROVED	D. VOZDZAK
DATE	05.15.2018 BID DRAWINGS

REVISIONS

NUMBER	DATE	DESCRIPTION

DRAWING



SCALE 1/4" = 1'-0" PARTIAL EIGHTH FLOOR PLAN - CHIEF JUSTICE SUITE - FIRE ALARM & TECHNOLOGY DEMO & REMO 04

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL FIRE ALARM AND TECHNOLOGY SYSTEMS CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE EIGHTH FLOOR. REFER TO DETAIL 04/ET2.01 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.02 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

SHARED FIRE ALARM SYSTEM & TECHNOLOGY SYSTEM KEY NOTES

(00) NO ELECTRICAL FIRE ALARM AND TECHNOLOGY SYSTEMS WORK TO OCCUR IN THIS SPACE.

FIRE ALARM SYSTEM KEY NOTES

(F1) EXISTING WALL-MOUNTED FIRE ALARM VISUAL (STROBE) WARNING DEVICE TO REMAIN.

(F2) EXISTING CEILING-MOUNTED FIRE ALARM AUDIO-VISUAL WARNING DEVICE TO REMAIN.

(F3) EXISTING FIRE ALARM PULL STATION TO REMAIN.

(F4) EXISTING FIRE ALARM FIREMAN'S TELEPHONE JACK TO REMAIN.

(F5) EXISTING WALL-MOUNTED FIRE ALARM AUDIO-VISUAL WARNING DEVICE TO REMAIN.

(F6) PROVIDE RELAY AND INTERFACE WITH THE EXISTING FIRE ALARM SYSTEM. ACTIVATION OF FIRE ALARM SYSTEM SHALL MAKE DOOR "FAIL-SAFE".

TECHNOLOGY SYSTEM KEY NOTES

(T1) REMOVE FLOOR BOX. GENERAL CONTRACTOR TO PATCH FLOOR OPENING WITH GROUT.

(T2) RE-ROUTE DATA CABLES FROM SEVENTH FLOOR CEILING PLENUM INTO NEW PARTITION.

(T3) PROVIDE NEW J-BOX IN NEW POSITION AND CONNECT TO RECONFIGURED SYSTEMS FURNITURE PANELS.

(T4) PROVIDE DATA JACK IN SYSTEMS FURNITURE PANEL. SPOOL THREE (3) UNUSED DATA CABLES ABOVE SEVENTH FLOOR CEILING AND LABEL.

(T5) EXISTING TECHNOLOGY JACK (FAX) TO REMAIN.


(T6) PROVIDE AND INSTALL ROUGH-IN BOX IN CEILING FOR CCTV CAMERAS AND CAT6 CABLE TO IDF DATA/COMM B812. CAMERA AND CONNECTIONS TO BE PROVIDED BY DGS VIA THE AOPC.

(T7) PROVIDE AND INSTALL ROUGH-IN BOX IN WALL FOR CARD READER AND CAT6 CABLE WHIP TO IDF DATA/COMM B812. SPOOL ANY EXTRA CABLE. CARD READER AND CONNECTION TO BE PROVIDED BY DGS VIA THE AOPC.

(T8) PROVIDE AND INSTALL CAT6 CABLE BETWEEN WALL INTERCOMPHONE SET AND REMOTE RELEASE TO BE LOCATED WITHIN WORKSTATION IN RECEPTION AREA. CABLE TO BE RUN VIA THE SEVENTH FLOOR CEILING PLENUM. FINAL CONNECTIONS SHALL BE PROVIDED BY DGS VIA THE AOPC.

(T9) PROVIDE AND INSTALL NEW DATA/VOICE JACK FOR WALL PHONE. TERMINATE CABLE IN AOPC PATCH PANEL IN IDF DATA/COMM B812.

SCALE NONE KEY NOTES - EIGHTH FLOOR - ELECTRICAL FIRE ALARM & TECHNOLOGY DEMOLITION & RENOVATION 03



SCALE 1/4" = 1'-0" PARTIAL SIXTH FLOOR PLAN - NEW DEPARTMENTAL DIVIDING WALL - FIRE ALARM & TECHNOLOGY DEMOLITION & RENOVATION 02

THE FOLLOWING KEY NOTES REFER TO THE ELECTRICAL FIRE ALARM AND TECHNOLOGY SYSTEMS CONSTRUCTION DEMOLITION AND RENOVATION WORK TO OCCUR ON THE SIXTH FLOOR (OFFICE AREA). REFER TO DETAIL 02/ET2.01 FOR KEY NOTE LOCATIONS. REFER TO DRAWING A2.01 FOR RELATED ARCHITECTURAL/GENERAL CONSTRUCTION DEMOLITION AND RENOVATION WORK.

SHARED FIRE ALARM SYSTEM & TECHNOLOGY SYSTEM KEY NOTES

(00) NO ELECTRICAL FIRE ALARM AND TECHNOLOGY SYSTEMS WORK TO OCCUR IN THIS SPACE.

FIRE ALARM SYSTEM KEY NOTES

(F1) EXISTING WALL-MOUNTED FIRE ALARM VISUAL (STROBE) WARNING DEVICE TO REMAIN.

(F2) EXISTING CEILING-MOUNTED FIRE ALARM AUDIO-VISUAL WARNING DEVICE TO REMAIN.

(F3) PROVIDE RELAY AND INTERFACE WITH THE EXISTING FIRE ALARM SYSTEM. ACTIVATION OF FIRE ALARM SYSTEM SHALL MAKE DOOR "FAIL-SAFE".

TECHNOLOGY SYSTEM KEY NOTES

(T1) EXISTING DATA JACK TO REMAIN. RECONFIGURE AND RECONNECT AS REQUIRED TO COORDINATE WITH NEW POSITION OF SYSTEMS FURNITURE.

(T2) PROVIDE ROUGH-IN BOX IN WALL FOR CARD READER AND CAT6 CABLE WHIP TO IDF DATA/COMM B812. SPOOL ANY EXTRA CABLE. CARD READER AND CONNECTION TO BE PROVIDED BY DGS VIA THE AOPC.

SCALE NONE KEY NOTES - SIXTH FLOOR - ELECTRICAL FIRE ALARM & TECHNOLOGY DEMOLITION & RENOVATION 01

1. THESE GENERAL NOTES, WHICH PERTAIN TO BOTH DEMOLITION AND RENOVATION WORK, APPLY TO ALL OF THE CONTRACT ELECTRICAL FIRE ALARM AND TECHNOLOGY (ET) DRAWINGS IN THIS SET.

2. FURNITURE, FURNISHINGS, AND EQUIPMENT (FFE) SHOWN ON FIRE ALARM AND TECHNOLOGY DRAWING ET2.01 ARE FOR REFERENCE ONLY. FFE LOCATIONS ARE SUBJECT TO CHANGE.

3. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE THE WORK BETWEEN THE DEMOLITION AND RENOVATION PHASES, AS WELL AS COORDINATING THE WORK BETWEEN THE VARIOUS CONTRACTORS AND SUB-CONTRACTORS.


4. THE "A2" SERIES DRAWINGS INCLUDE INFORMATION REGARDING BOTH THE DEMOLITION AND THE RENOVATION WORK TO BE EXECUTED UNDER THE GENERAL CONSTRUCTION CONTRACT. INFORMATION REGARDING THE DEMOLITION AND RENOVATION WORK TO BE EXECUTED UNDER THE MECHANICAL AND ELECTRICAL CONTRACTS CAN BE FOUND ON THE "M" AND "E" SERIES DRAWINGS.

5. REFER TO THE "A6" SERIES DRAWINGS, REFLECTED CEILING PLANS, FOR SPECIFIC INFORMATION REGARDING CEILING CONSTRUCTION AND CEILING MATERIALS.

6. EXISTING FINISHES ARE TO REMAIN, UNLESS NOTED OTHERWISE, WITH THE EXCEPTION OF TOUCH-UP WORK REQUIRED TO REPAIR DAMAGE OCCURRING DURING DEMOLITION/RENOVATION ACTIVITIES AND THE REPAIR OF DAMAGE REQUIRED TO ACCOMMODATE THE INSTALLATION OF NEW WORK.

7. REFER TO DRAWING A2.03 FOR ADDITIONAL DATA/TECHNOLOGY WORK REQUIRED IN CONJUNCTION WITH THE CARPET REPLACEMENT TO OCCUR THROUGHOUT THE EIGHTH FLOOR.

SCALE NONE GENERAL NOTES - ELECTRICAL FIRE ALARM & TECHNOLOGY DEMOLITION & RENOVATION 00



PENNSYLVANIA JUDICIAL CENTER
 PROFESSIONAL'S SEAL

PROJECT 4613.0671
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 © 2018 VITETTA

PROJECT TITLE
 MISCELLANEOUS RENOVATIONS TO THE SECOND, SIXTH, AND EIGHTH FLOORS
 AT THE
 PENNSYLVANIA JUDICIAL CENTER
 601 COMMONWEALTH AVENUE
 HARRISBURG, DAUPHIN COUNTY, PENNSYLVANIA 17120
 FOR THE
 ADMINISTRATIVE OFFICE OF THE PENNSYLVANIA COURTS

DRAWING TITLE
 ELECTRICAL
 FIRE ALARM/TECHNOLOGY
 COMBINATION
 DEMOLITION/RENOVATION
 SIXTH & EIGHTH
 FLOOR PLANS

SCALE	1/4" = 1'-0" OR AS NOTED
DRAWN	J. JOUN
CHECKED	D. VOZAK
APPROVED	D. VOZAK
DATE	05.15.2018 BID DRAWINGS
REVISIONS	NUMBER DATE DESCRIPTION