ID

#### **Department of General Services**

# Emergency Procurement ("EP") Approval Request

#### **Bureau of Procurement**

If either of the following two conditions exist, an EP is not required and should not be requested:

- 1. Material / Service available from DGS statewide contract.
- 2. Estimated Cost of the Material / Service is within the Small, No-bid Procurement threshold identified in the Procurement Handbook, Part I, Chapter 7.

Agency requests approved to proceed with an emergency procurement under Section 516 of the Commonwealth Procurement Code (62 Pa. C.S. §516).

## Requesting Agency Information

Agency/Bureau:	Department of Human Services "prior DPW"					
Contact Person:	Tami Myers					
Contact Address:	8 Opportunity Drive Loysville PA 17047					
Contact Tel#:	717-789-5509					
Contact Email:	tamyers@pa.gov					
Description Of Material (or) Service (or) IT	Staffing Agency Services to Juvenile Justice Specialists for Loysville Youth Development Center					
SAP Material Groups:	94101801	94101801				
Estimated \$ Amount:	150000.00					
Length of EP:	12 Months					
Delivery Location:	City	Loysville	State	Pennsylvania	ZipCode	17047

### Basis for the Emergency Purchase

Threat to public health, welfare, or safety

Identify the Threat:	Loysville Complex is a secure bed space for adjudicated youth. With the facility being short of staff it poses a threat of safety and security for the staff and youth at the facility.
of the need for the material	we have been unable to hire Commonwealth of Pennsylvania employees to fill positions at the Loysville Complex. The department seeks 25 aides. Without proper staffing this creates a crisis and is a safety issue for the current staff and youth at the facility.
	Loysville Complex is a secure bed space for adjudicated youth. With the facility being short of staff it poses a threat of safety and security for the staff and youth at the facility. This could cause staff or youth injury.

Indicate whether approval was obtained from DGS.

If "Yes", provide the following:

Yes a. Name of person granting approval:

b.Date of approval:

Circumstances outside the control of the agency create an urgency of need, which does not permit the delay in using more competitive methods

☑ No

NOTE: Verbal approval will not be provided for this basis. Agency cannot proceed with emergency procurement until this form is completed and approved by DGS.

Identify the Circumstances:

Why are those

circumstances outside of

the control of Agency?

Provide a brief explanation

for the urgent need:

## Information Required

### For ALL EP's provide the following information:

Brief description of selection		We attempted to get multiple quotes but only one vendor expressed an interest.			
process:					
	Name:	Maxim Healthcare Staffing Services Inc.			
Full supplier information (if known at time of submission of form)	Address:	317 East Carson Street			
	Telephone #:	412-505-0514			
	SAP Vendor#:	543258	Total Amount		
For EP's that are NOT a threat to public health, welfare, or safety, provide the following information					
Include a list of the solicited					

suppliers, their contact information, and their quotations:

□ Yes ☑ No

(Yes/No):

If applicable, what has been done previously to procure this

encumbered for this request

Funds have already been

material/service? (Also provide the

previous SAP/SRM PO number

and/or Contract Number)

NOTE: If any Agency only intends to solicit a quote from one supplier, the following section, "Supplemental Single Source Information" must be completed

## Supplemental Single Source Information Required

This section of the EP APPROVAL REQUEST Form is only required to be completed if the following is applicable:

 Category of Emergency is due to "Circumstances outside the control of the agency create an urgency of need, which does not permit the delay in using more competitive methods."
It is not practical for the agency to obtain two or more quotes.

Is only a single supplier capable of providing the material or services? If Yes, please explain. If not applicable, leave blank and respond in the next block.

Explain why it is not practical to obtain two or more quotes for this emergency procurement.

If timing is a factor, what is the time factor and why? If yes, please explain.

Are there compatibility requirements or compliance requirements? If yes, please explain.

NOTE: If the purpose of the emergency procurement is to prevent a lapse in contracted services, one of the following must be checked. Include status of the new contract/purchase and note any special conditions of the emergency procurement.

	To extend a current contract with the current contractor to prevent a lapse in contracted services.	
	To bridge a gap between an expiring contract and a new contract by allowing the new contractor to begin work before the new contract is fully	
	To authorize a supplier, who has been properly selected through one of the methods of award, to begin work before the new contract is fully executed because the agency needs the services immediately and cannot wait until full execution of the	
V	If none of the above is applicable, explain how the emergency supplier was selected.	The department has been unable to hire Commonwealth of Pennsylvania employees to fill positions at Loysville Complex. Without proper staffing, this creates a crisis and is a safety issue for the current staff and youth at the facility.

## Agency Approvals

IMPORTANT\*:The printed names on this form shall constitute the signatures of these individuals. Agencies must insure that these individuals review the completed form and give their consent to apply their printed name on this form. No handwritten signatures shall be required in order for the form to be considered "signed" by those individuals whose names appear in the signature section

Requesting Authority (Agency Head or Designee reviewing and approving this request) Requesting Authority signature connotes concurrence with the Agency EP request to procure the material and/or service

Title:	Director		
Signature:	DeShawn Lewis	Date:	03-10-23