ID

Department of General Services

Emergency Procurement ("EP") Approval Request

Bureau of Procurement

If either of the following two conditions exist, an EP is not required and should not be requested:

- 1. Material / Service available from DGS statewide contract.
- 2. Estimated Cost of the Material / Service is within the Small, No-bid Procurement threshold identified in the Procurement Handbook, Part I, Chapter 7.

Agency requests approved to proceed with an emergency procurement under Section 516 of the Commonwealth Procurement Code (62 Pa. C.S. §516).

Requesting Agency Information

Agency/Bureau:	Departmen	Department of Transportation						
Contact Person:	Susan Zelle	Susan Zellers						
Contact Address:		400 North Street Harrisburg PA 17120						
Contact Tel#:	717-783-88	717-783-8868						
Contact Email:	szellers@p	szellers@pa.gov						
Description Of Material (or) Service (or) IT	Installation and rental of portable generators and HVAC units Service							
SAP Material Groups:	72102200	72102200						
Estimated \$ Amount:	35,000	35,000						
Length of EP:	30 Days							
Delivery Location:	City	King Of Prussia	State	Pennsylvania	ZipCode	19406		

Basis for the Emergency Purchase

 \mathbf{N}

Threat to public health, welfare, or safety

Identify the Threat:	The District 6-0 Office has been recently designated by Pennsylvania Emergency Management Agency as a critical operational center during the expected large volume of traffic and public activity in the month of September.	
	The District Office requires additional redundancy during this time to ensure no loss of power or cooling for equipment and personnel.	
	An emergency procurement is needed to meet the timeline to procure and install the required equipment.	

Indicate whether approval was obtained from DGS.

If "Yes", provide the following:

Yes a. Name of person granting approval:

b.Date of approval:

Circumstances outside the control of the agency create an urgency of need, which does not permit the delay in using more competitive methods

☑ No

NOTE: Verbal approval will not be provided for this basis. Agency cannot proceed with emergency procurement until this form is completed and approved by DGS.

Identify the Circumstances:

Why are those

circumstances outside of the control of Agency?

Provide a brief explanation

for the urgent need:

Information Required

For ALL EP's provide the following information:

Brief description of selec	ction	The Department plans on soliciting a quote from 3 vendors.			
process:		1) Powerhouse Equipment & Engineering Co. Inc.: the only DGS statewide vendor on Contract #4400009863 that encompasses the rental (not installation) of this type of equipment.			
		2) Sunbelt Rentals Inc Local vendor familiar with the building due to previous fire emergency.			
		3) United Rentals - Local vendor solicited for previous fire emergency.			
	Name:				
Full supplier information	Address:				
(if known at time of					
submission of form)					
	Telephone #:				
	SAP Vendor#:	Total Amount			
For EP's that are NOT a	threat to nublic h	ealth welfare or safety provide the following information			

Include a list of the solicited suppliers, their contact information, and their quotations: Funds have already been encumbered for this request (Yes/No): NOTE: If any Agency only intends to solicit a quote from one supplier, the following section, "Supplemental Single Source Information" must be completed

Supplemental Single Source Information Required

This section of the EP APPROVAL REQUEST Form is only required to be completed if the following is applicable:

1. Category of Emergency is due to "Circumstances outside the control of the agency create an urgency of need, which does not permit the delay in using more competitive methods." 2. It is not practical for the agency to obtain two or more quotes.

Is only a single supplier capable of providing the material or services? If Yes, please explain. If not applicable, leave blank and respond in the next block.

Explain why it is not practical to obtain two or more quotes for this emergency procurement.

If timing is a factor, what is the time factor and why? If yes, please explain.

Are there compatibility requirements or compliance requirements? If yes, please explain.

NOTE: If the purpose of the emergency procurement is to prevent a lapse in contracted services, one of the following must be checked. Include status of the new contract/purchase and note any special conditions of the emergency procurement.

To extend a current contract with the current contractor to prevent a lapse in contracted services.

To bridge a gap between an expiring contract and a new contract by allowing the new contractor to begin work before the new contract is fully

	properly sel methods of before the n executed be the services	e a supplier, who has been ected through one of the award, to begin work new contract is fully ecause the agency needs immediately and cannot Il execution of the				
	If none of th	e above is applicable,				
	-	the emergency supplier				
	was selecte	d.				
Agency Approvals						
IMPORTANT*: The printed names on this form shall constitute the signatures of these individuals.						
Agencies must insure that these individuals review the completed form and give their consent to apply their printed name on this form. No handwritten signatures shall be required in order for the						
form to be considered "signed" by those individuals whose names appear in the signature section						
Requesting Authority (Agency Head or Designee reviewing and approving this request)						
Requesting Authority signature connotes concurrence with the Agency EP request to procure the						
material and/or service						
	Title:	Division Chief, Materials and Services Mg	t			
	Signature:	Barry J. Williams		Date:	08-24-15	