

Specifications - Invitation for Bid 6100065070

ISSUING OFFICE



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF GENERAL SERVICES
BUREAU OF PROCUREMENT**

**1800 Herr Street
Arsenal Building, 2nd Floor
Harrisburg, PA 17103**

- ON BEHALF OF-

PENNSYLVANIA GAME COMMISSION

January 5, 2026

TABLE OF CONTENTS

SECTION	PAGE
Invitation for Bid Summary	3
1. Contract Scope and Overview	4
2. Eligible Bidders	4
3. Bidding Instructions	5
4. Method of Award.....	6
5. Contract Term	6
6. Contract Requirements and Specifications	7
7. Inquiries	7

Invitation for Bid 6100065070 Summary

Issue Date	01/07/2026
Deadline for Questions	Bidders with questions regarding IFB 6100065070 must submit all inquiries via email. Questions must be received no later than five (5) days prior to the bid closing date. All questions shall be directed to JZabady@Pa.Gov and must include the bid number in the subject line.
Proposal Deadline	01/29/26
Contract Term	One Time Purchase
Overview	<p>The Commonwealth is soliciting bids for the furnishing and delivery of one (1) 2027 Tri-Axle Dump Truck with Dump Bed for the Pennsylvania Game Commission, as detailed in Bid Specification Section. The Purchase order will be awarded to the lowest responsive and responsible bidder, with the Commonwealth reserving the right to make a single award or award by line item if deemed in its best interest.</p> <ul style="list-style-type: none"> • All vehicles supplied under this contract must be manufactured in North America (United States, Canada, or Mexico). • A substantial majority of the vehicle's principal components must be assembled in a North American assembly plant. • The contractor must provide proof, upon request, that the vehicle meets the requirements of the Motor Vehicle Procurement Act (62 Pa. C.S. §§ 3731–3736).
Eligible Bidder Qualifications	<ol style="list-style-type: none"> 1. Must be an Authorized/Franchised dealer for the vehicles offered in Pennsylvania 2. Must hold a valid Pennsylvania Dealer License <p>All bidders must be authorized new vehicle dealers for the manufacturer(s) they represent. Bidders shall submit OEM authorization on official manufacturer letterhead, dated within six (6) months of the bid due date.</p>

	<p>Suppliers are advised that licensing requirements are governed by Act No. 84 of 1983, commonly referred to as the Board of Vehicles Act.</p> <p>Act of Dec. 22, 1983,P.L. 306, No. 84 Cl. 63 - BOARD OF VEHICLES ACT</p>
Bid Submission Information	<p>Suppliers must be registered in the Commonwealth's procurement system prior to submitting a bid.</p> <p>www.pasupplierportal.state.pa.us.</p>

1. PURPOSE/STATEMENT OF WORK:

The Department of General Services, on behalf of the Pennsylvania Game Commission, is issuing Invitation for Bid (IFB) 6100065070 for the purchase and delivery of one (1) 2027 Tri-Axle Dump Truck with Dump Bed, in accordance with the requirements outlined in Bid Specification Section.

2. ELIGIBLE BIDDERS:

1. Must be an **Authorized/Franchised dealer** for the vehicles offered in **Pennsylvania**
2. Must hold a valid Pennsylvania Dealer License

All bidders must be authorized new vehicle dealers for the manufacturer(s) they represent. Bidders shall submit OEM authorization on official manufacturer letterhead, dated within six (6) months of the bid due date.

Suppliers are advised that licensing requirements are governed by Act No. 84 of 1983, commonly referred to as the Board of Vehicles Act.

[Act of Dec. 22, 1983,P.L. 306, No. 84 Cl. 63 - BOARD OF VEHICLES ACT](#)

All vehicles provided under this contract must be manufactured in North America, defined as the United States, Canada, or Mexico. To qualify, the majority of the vehicle's principal components must be assembled in a North American assembly plant. Contractors must be able to provide proof of compliance with these requirements in accordance with the Motor Vehicle Procurement Act (62 Pa. C.S. §§ 3731–3736).

3. BIDDING INSTRUCTIONS:

The following documentation must be completed and submitted with the bid. Failure to submit the documentation listed below will result in the bid being rejected.

- A. OEM Letters (if applicable)- Bidders who are not a manufacturer must submit a letter from the manufacturer(s) stating that the bidder is authorized to sell the product(s) in the Commonwealth of Pennsylvania.
- B. Lobbing Certifications and Disclosure, BOP-1307- This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed under *Section 1352, Title 31, U. S. Code*. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than **\$100,000** for such failure.
- C. Reciprocal Limitations Act, GSPUR-89- Reciprocal Limitations Act (GSPUR-89): See Section II.4 II-IFB-017.1b Reciprocal Limitations Act – Electronic Submittal (February 2007) of the Terms and Conditions for details and requirements regarding this Act. All bidders must complete and return the Reciprocal Limitations Act Requirements Form, which is attached hereto and made part of this IFB. The completed and signed GSPUR-89 form shall be submitted with the bid response.
- D. Iran Free Certification and Disclosure-Prior to entering a contract worth at least \$1,000,000 or more with a Commonwealth entity, a bidder must: a) certify it is not on the current list of persons engaged in investment activities in Iran created by the Pennsylvania Department of General Services (“DGS”) pursuant to Section 3503 of the Procurement Code and is eligible to contract with the Commonwealth under Sections 3501-3506 of the Procurement Code; or b) demonstrate it has received an exception from the certification requirement for that solicitation or contract pursuant to Section 3503(e). All bidders must complete and return the Iran Free Procurement Certification form, which is attached hereto and made part of this IFB. The completed and signed Iran Free Procurement Certification form shall be submitted with the bid response.
- E. Worker Protection Act, BOP-2201- Pursuant to Executive Order 2021-06, Worker Protection and Investment (October 21, 2021), the Commonwealth is responsible for ensuring that every Pennsylvania worker has a safe and healthy work environment, and the protections afforded them through labor laws. To that end, contractors and grantees of the Commonwealth must certify that they are in compliance with all applicable Pennsylvania state labor and workforce safety laws. Such certification shall be made through the Worker Protection and Investment Certification Form (BOP-2201) (Appendix C). The completed and signed Worker Protection Certification Form shall be submitted with the bid response.
- F. Pennsylvania Dealer License. (For Vehicle Bids Only)

G. A **Letter of Authorization or Franchised Dealer Agreement** from the vehicle manufacturer, confirming that the bidder is an authorized dealer for the vehicles offered to the Commonwealth, is required for all vehicle bids. The letter of authorization must be **dated within the last six months**.

4. METHOD OF AWARD:

It is the intent of the Commonwealth to make a single award of item(s) listed in the IFB to the lowest responsive and responsible bidder. The Commonwealth reserves the right to award by line item if it determines that it is in the best interest of the Commonwealth to do so.

5. PO TERM:

The Commonwealth shall put forth reasonable efforts to make payment by the required payment date. The required payment date is: (a) the date on which payment is due under the terms of the Contract; (b) thirty (30) days after a proper invoice actually is received at the "Bill To" address if a date on which payment is due is not specified in the Contract (a "proper" invoice is not received until the Commonwealth accepts the service as satisfactorily performed); or (c) the payment date specified on the invoice if later than the dates established by (a) and (b) above. Payment may be delayed if the payment amount on an invoice is not based upon the price(s) as stated in the Contract.

6. TARIFFS AND ADDITIONAL SURCHARGES:

Under no circumstances may the supplier include or charge tariffs, surcharges, or any additional fee beyond the bid price. Any such charges listed will be disregarded by the Commonwealth and will not be considered part of the evaluated or payable amount.

7. SHIPPING AND DELIVERY REQUIREMENTS:

Please refer to PCID 1067 for the delivery address and delivery procedures. Suppliers are required to call at least 48 hours in advance to schedule delivery.

8. FREIGHT:

All vehicle(s) shall be delivered F.O.B. Destination. The Contractor agrees to bear the risk of loss, injury, or destruction of the vehicle(s) ordered prior to the receipt of the vehicle(s) by the Commonwealth. Such loss, injury, or destruction shall not release the Contractor from any contractual obligations. Except as otherwise provided in this contract, all vehicle(s) must be delivered within the time period specified in the Contract. Time is of the essence and, in addition to any other remedies, the Contract is subject to termination for failure to deliver as specified.

9. STANDARD WARRANTY:

The price shall include the standard manufacturer's warranty for all products provided if that warranty is greater than warranty required in the attached Terms and Conditions or PCID-1067. The warranty period shall be from date of delivery of equipment.

10. ISSUING OFFICE:

Jason Zabady, Commodity Specialist
Department of General Services
Bureau of Procurement
1800 Herr Street, 2nd Floor Arsenal Building
Harrisburg, Pa 17103
(223)-231-9338
Jzabady@pa.gov

11. BIDDER REFERENCE MATERIAL:

Instructions on bidding this procurement can be found in the embedded links below:

- A. [Supplier Registration Guide](#)
- B. [Supplier Bidding Guide](#)
- C. [Attaching Documents](#)
- D. [Electronic Bidding Portal](#)

12. BID SPECIFICATIONS:

Please refer to the attached documents labeled PCID 1067 for additional specifications and requirements:

- (1) 2027 Tri-Axle Dump Truck with Dump Bed as follows:
 - Mechanical:
 - Minimum 13 Liter Diesel Powered Engine
 - Minimum 505 Horsepower
 - Minimum 1,850 ft. lbs. torque
 - Corrosion resistant oil pan
 - Silicone radiator hoses
 - Engine Brake
 - Exhaust and related components:
 - Stainless steel DPF cover
 - Single vertical stack on right side of cab mounted with bright finish heat shield and stack turn-out
 - Electrical to include, but not limited to:
 - Three (3) 12V batteries with total 2280 CCA
 - Polished aluminum battery box cover
 - Flaming River master cut-off switch *or approved equal*
 - 160-amp alternator
 - Minimum M-Drive, direct drive transmission with multi-speed reverse
 - Minimum 4-speed reverse

- Factory installed PTO DIN 5462 for direct mount Parker gear hydraulic pump *or approved equal*
- Frame, suspension and driveline to include, but not limited to:
 - Minimum 86,000-lb GVWR featuring:
 - Single frame rails 0.437” x 4.13” x 11.81”
 - Minimum 3,160,000-lb. in. RBM
 - Minimum 20,000-lb. FXL20 steering axle-inc:
 - Dual steering boxes
 - Minimum 20,000-lb. front taper leaf springs
 - Minimum 46,000-lb. S462R cast iron tandem rear housings
 - Minimum 46,000-lb. M Ride 3 leaf spring rear suspension *or approved equal*
 - Spicer SPL350HDXL main drive shaft *or approved equal*
 - Spicer SPL50XL interaxle drive shaft *or approved equal*
 - Independent differential locking switches
 - 3.11 Axle Ratio
 - Road stability ADV Bendix ABS
 - Pusher axle to include, but not limited to:
 - 20,000-lb non-steerable
 - In-cab switch to lower and raise axle
 - Outside pressure controls
 - Drum brakes on pusher axle
- Air brake system to feature, but not limited to:
 - Meritor EX+ Air disc brakes on steering and drive axles *or approved equal (non-steerable pusher axle to feature drum brakes)*
 - Road stability ADV Bendix ABS/ATC/RSA with Yaw control *or approved equal*
 - Automatic Traction Control must feature a full-disable dash switch
 - Aluminum painted air tanks
 - Two (2) valve dual brake system for trailer lines
 - Dual function hand control valve for trailer or rear service brakes
- Wheels and tires to include, but not limited to:
 - Minimum two (2) front 22.5 x 9.00 polished aluminum wheels w/4.06” offset.
 - Minimum two (2) 22.5 x 9.00 polished aluminum wheels w/4.06” offset for pusher axle
 - Minimum four (4) rear 24.5 x 8.25 polished aluminum wheels
 - Minimum 315/80R22.5 L (20,000-lb total rating) front drive tires
 - Minimum 315/80R22.5 L (20,000-lb total rating) mounted for front pusher axle
 - Minimum eight (8) 11R24.5 H (52,881-lbs total rating) rear drive tires
- Exterior:
 - 224” wheelbase with 67” AF to accommodate 17’ 6” dump body
 - Air ride suspension day cab configuration
 - Extended bright finish front bumper with center heavy duty tow pin
 - Heated LED headlights

- Minimum 72-gallon “D” shaped fuel tank
 - Stainless steel straps
- Minimum 8.7-gallon DEF tank
- Three-step cab entrance for both RH/LH **with mounted work lights**
- One (1) piece windshield
- Exterior fiberglass sun visor
- Aero heated and motorized outside rearview mirrors
- Dual 10” fender mounted heated mirrors
- Auxiliary window with side close view mirror over passenger door
- Dual roof mounted air horns
- Dual electric city horns
- Body builder interface mounted below cab & above frame rails for body builder access to assignable switches
- Minimum 87-112 self-adjusting, multi-frequency back up alarm
- **Cab and running gear to be painted BLACK**
- Interior:
 - Driver high back air ride seat with inboard armrest
 - Passenger high back fixed seat with under seat storage box and inboard armrest
 - Steel gray comfort trim
 - Orange high visibility seat belts
 - AM/FM stereo featuring MP3, weather band and Bluetooth radio
 - Radio antenna to be mounted behind driver door
 - Six (6) configurable dash switches
 - Air conditioning
 - Power windows
 - Power door locks
 - Minimum of four (4) operable keys for locks and ignition
 - 5-lb ABC rated fire extinguisher mounted on floor between driver seat and driver door
 - Three (3) emergency triangle kit with storage box and mounting bracket mounted center of cab against inside rear cab wall
 - **Vendor must provide a rear-view camera display featuring:**
 - 7” LED digital color display in convenient location to provide maximum driver visibility, aftermarket installation if necessary (Ref: Rearview Safety FHD 1080P Flagship Backup Camera or equal)
- Steel Dump Body:
 - 17’ 6” Hardox 450 steel crossmemberless dump body
 - 3/16” Hardox 450 steel floor
 - 43” 1/8” Hardox 450 Steel Sides
 - 5 posts per side
 - Boxed top rail
 - Board gussets front and rear
 - Dirt shedder with tarp bar
 - Inside radius

- 53” 3/16” Hardox steel tailgate
 - Three (3) coal doors
 - “Cam Over” style handles
 - 49” rear corners
 - Offset type top hardware
 - Air bottom latches
- 24” Cab protector with 8-10” lip (tarp ready)
- 8” Formed longitudines ¼” thick on rubber cushion
- Two (2) step ladder with grab handle
- Aluminum oil tank
- Splash shields
- Mudflaps (hooks on flaps)
- Body up indicator in cab
- All controls mounted in cab between front seats
- DOT/OEM marker lights
- Six (6) light strobe package
 - Two (2) mounted front of cab shield
 - Two (2) mounted side of cab shield
 - Two (2) mounted rear corners
- Aero 575 electric aluminum arm tarp
 - Asphalt tarp
- Tow Package to include, but not limited to:
 - 1” Hitch plate with D-rings
 - 30 Ton pintle
 - 7-pin electric plug
 - Glad hands connected and mounted to truck air lines
 - Trailer Brake Controller to operate at least (4) electric brakes within reach of driver

All Vehicle Bids (unless PSP or PennDOT) need to include the address below for delivery:

Commonwealth Garage

2221 Forster Street

Harrisburg PA 17103