



SURVEY NOTE
SURVEY PREPARED BY GATEWAY ENGINEERS, 100 MC MORRIS ROAD, PITTSBURGH, PA 15205, 1-855-634-1284, DATED 01/14/2022 WITH SUBSEQUENT UPDATES.

LAYOUT NOTES

1. VERIFY LAYOUT WITH DEPARTMENTS REPRESENTATIVE PRIOR TO CONSTRUCTION. ADJUST AS NECESSARY.
2. REPAIR OR REPAIR PAVING DAMAGED OR REMOVED DUE TO CONSTRUCTION OPERATIONS, INCLUDING ADJACENT ROADS AND SITES.
3. DETERMINE THE LOCATION OF UNDERGROUND UTILITIES OR FEATURES TO DETERMINE DO NOT INTERFERE WITH PROPOSED IMPROVEMENTS. CONTACT DEPARTMENT'S REPRESENTATIVE FOR ALTERNATE LOCATIONS IF REQUIRED.
4. MATCH EXISTING PAVING FOR STREET CUT AND PATCH WORK WITHIN THE PROJECT. USE EXISTING PAVING FOR REFERENCE. MATCH PAVING ACCORDING TO STANDARDS AND SPECIFICATIONS OF GOVERNING AUTHORITIES.
5. LOCATE CONSTRUCTION JOINTS 25'-0" O.C., UNLESS OTHERWISE INDICATED; LOCATE EXPANSION JOINTS 25'-0" O.C. PLACE EXPANSION JOINTS AT ALL ADJACENT JUNCTIONS. USE CONCRETE COUPLER OR ADJOINING VERTICAL SURFACE. REVIEW LAYOUT OF EXPANSION JOINTS AND CONTROL JOINTS WITH DEPARTMENT'S REPRESENTATIVE PRIOR TO PLACEMENT CONCRETE.
6. CONSTRUCTION NOTES AND TYPICALS THAT APPEAR ONLY ONCE ON DRAWINGS SHALL APPLY TO ALL SIMILAR CONDITIONS WHERE NO CONSTRUCTION OCCURS TO FULFILL THE INTENT OF THE DRAWINGS.
7. ANGLES SHALL BE 90° UNLESS OTHERWISE INDICATED; RADII SHALL BE 5'-0" UNLESS OTHERWISE INDICATED.

LEGEND

EXISTING PROPOSED



RECORD REVISIONS	
PRELIMINARY NOT FOR CONSTRUCTION	(SEAL)

PRELIMINARY
NOT FOR
CONSTRUCTION


(SEAL)

PROFESSIONAL'S SIGNATURE DATE CONSULTANT'S SIGNATURE DATE
PASHEK MTR
6119 East Ohio St
Pittsburgh, PA 15212
pashekmt.com
412.321.6342

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF GENERAL SERVICES
HARRISBURG, PENNSYLVANIA
G.S. PROJECT No.: **A-0200-0056 PH1**

CALL BEFORE YOU DIG!
PENNSYLVANIA LAW REQUIRES 3 WORKING DAYS NOTICE FOR CONSTRUCTION PHASE AND 10 WORKING DAYS IN DESIGN STAGE - STOP CALL
PA1 SERIAL # ??????????
DATE 7/7/2022
1-800-242-1776

VERIFY SCALE
BAR IS ON (1) INCH LONG ON ORIGINAL DRAWING
0 1
IF BAR IS NOT ONE (1) INCH LONG, ADJUST SCALE ACCORDINGLY



DRAWER BY M. SHAFFER	DATE 08.19.2022	DRAWING NO. C101.1
CHECKED BY J. BUERKLE	SCALE 1" = 50'	